

CITY OF TSHWANE METROPOLITAN MUNICIPALITY

REGIONAL OPERATIONS AND COORDINATION

TENDER NUMBER:

ROC 10 2024/25

	TENDER FOR THE SUPPLY, DELIVERY AND OFF-LOADING OF PRECAST CONCRETE UNITS AND PAVING BLOCKS, FOR A PERIOD OF THREE (3) YEARS AS AND WHEN REQUIRED
--	---

NAME OF BIDDER:
CSD NUMBER:
VENDOR NUMBER (WHERE APPLICABLE)

Prepared by: City of Tshwane Metropolitan Municipality Tshwane House 320 Madiba Street Pretoria CBD 0002

Tel: 012 358 9999

BID CLOSING DATE

26 FEBRUARY 2025

Only bidders registered on the central supplier database (CSD) and with a CSD number will be considered for this tender, as this is a requirement from the National Treasury.

"Note: Bidders are required to submit electronic copies of the bid either by memory stick/USB flash drive/CD/DVD together with the hard copy of the Bid/Proposals"



CITY OF TSHWANE METROPOLITAN MUNICIPALITY

DEPARTMENT: REGIONAL OPERATIONS AND COORDINATION

Bids are hereby invited from suppliers for the following bid:

Bid number	Description	Department	Contact person	Compulsory briefing session	Closing date
ROC 10 2024/25	TENDER FOR THE SUPPLY, DELIVERY AND OFF-LOADING OF PRECAST CONCRETE UNITS AND PAVING BLOCKS, FOR A PERIOD OF THREE (3) YEARS AS AND WHEN REQUIRED	Regional Operations and Coordination	Technical enquiries: Abe Komote 012 358 0612 or abek@tshwane.gov.za	Not applicable	26 February 2025 at 10:00am

THE DOCUMENT IS DOWNLOADABLE ON THE TSHWANE WEBSITE (<u>www.tshwane.gov.za</u>) and on the E-tender portal (www.etenders.gov.za).

Each tender shall be enclosed in a sealed envelope that bears the correct identification details and shall be placed in the tender box located at:

"Note: Bidders are required to submit electronic copies of the bid either by memory stick/USB flash drive/CD/DVD together with the hard copy of the Bid/Proposals"

Tshwane House 320 Madiba Street Pretoria CBD 0002

Documents must be deposited in the bid box not later than 10:00am on 26 February 2025

Bidders must contact the following officials for any enquiries:

- Technical enquiries: Abe Komote 012 358 0612 or abek@tshwane.gov.za
- Supply chain enquiries: Relebogile Malatswane (RelebogileM@tshwane.gov.za or 012 358 2735)

Bids will remain valid for a period of 90 days after the closing date.

The validity period for the tender after closure is 90 days. The city shall have right and power to extent any tender validity period beyond any initial validity period set and subsequent extensions. SCM shall ensure that an extension of validity is requested in writing from all bidders before the validity expiry date. Extension of validity shall be finalised while the quotations/bids are still valid.

INDEX

Number	Details	Document	Page
1.	Very important notice on disqualifications		
2.	Certificate of authority for signatory		
3.	Scope of work		
4.	Pricing schedule		
5.	Invitation to bid	MBD 1	
6.	Pricing schedule: Firm prices (purchases)	MBD 3.1	
7.	Pricing schedule: Non-firm prices (purchases)	MBD 3.2	
8.	Declaration of interest	MBD 4	
9.	Declaration for procurement above R10 million (all applicable taxes Included)	MBD 5	N/A
10.	Preference points claim form in terms of the preferential procurement regulations 2022	MBD 6.1	
11.	Contract form: Purchase of goods or works	MBD 7.1	Х
12.	Contract form: Rendering of services	MBD 7.2	
13.	Declaration of past supply chain management practice	MBD 8	
14.	Certificate of independent bid determination	MBD 9	
15.	General conditions of contract		
16.	Service-level agreement		

VERY IMPORTANT NOTICE ON DISQUALIFICATIONS

A bid that does not comply with the peremptory requirements stated hereunder will be regarded as not being an "acceptable bid", and such a bid will be rejected. An "acceptable bid" means any bid which, in all respects, complies with the conditions of the bid and the specifications as set out in the bid documents, including the conditions as specified in the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000) and related legislation as published in *Government Gazette 22549*, dated 10 August 2001, in terms of which provision is made for this policy.

- 1. If any pages have been removed from the bid document and have therefore not been submitted or if a copy of the original bid document has been submitted.
- 2. If the bid document is completed using a pencil or Tippex corrections were made, or any other colour ink. Only black ink must be used to complete the bid document.
- 3. The bidder attempts to influence or has in fact influenced the evaluation and/or awarding of the contract.
- 4. The bid has been submitted after the relevant closing date and time.
- 5. If any bidder who, during the last five years, has failed to perform satisfactorily on a previous contract with the municipality, municipal entity or any other organ of state after written notice was given to that bidder that performance was unsatisfactory.
- 6. The accounting officer must ensure that, irrespective of the procurement process followed, no award may be given to a person
 - (a) who is in the service of the state:
 - i. if that person is not a natural person, of which any director, manager, principal shareholder or stakeholder is a person in the service of the state; or
 - ii. who is an advisor or consultant contracted to the municipality in respect of a contract that would cause a conflict of interest.
- 7. Bid offers will be rejected if the bidder or any of his/her directors are listed on the Register of Bid Defaulters in terms of the Prevention and Combating of Corrupt Activities Act, 2004 (Act 12 of 2004) as a person prohibited from doing business with the public sector.
- 8. Bid offers will be rejected if the bidder has abused the City of Tshwane supply chain management system.
- 9. Failure to complete and sign the certificate of independent determination or disclosure of wrong information.
- 10. Duly Signed and completed MBD forms (MBD 1, 4, 5, 8 and 9) The person signing the bid documentation must be authorised to sign on behalf of the bidder. Where the signatory is not a Director / Member / Owner / Shareholder of the company, an official letter of authorization or delegation of authority should be submitted with the bid document.
- 11. All MBD documents fully completed (i.e. no blank spaces) and fully signed, By the authorized personnel.
- 12. False or incorrect declarations on any of the MBD documents will result in the rejection of the bidder.

- 13 It is the responsibility of the bidder to disclose in MBD4 any interest in any other related companies or business whether they are bidding for this contract. Failure to disclose this interest will result in the rejection of the bid.
- Joint Ventures (JV) (Only applicable when the bidder tender as a joint venture)
 - i. Where the bidder bid as a Joint Ventures (JV), the required or relevant documents under administrative requirements must be provided/submitted for all JV parties. (These include MBD4, MBD5, MBD8, MBD 9, CSD and/ or SARS pin, Confirmation that the bidder's municipal rates and taxes are up to date.)
 - ii. In addition to the above the bidder must submit a Joint Venture (JV) agreement signed by the relevant parties.
 - iii. It is a condition of this bid that the successful bidder will continue with same Joint Venture (JV) for the duration of the contract, unless prior approval is obtained from City of Johannesburg.
 - iv. JV agreement must be complete, relevant and signed by all parties.

Failure to comply with the above will lead to immediate disqualification.
Bidder

CERTIFICATE OF AUTHORITY FOR SIGNATORY

Status of concern submitting tender (delete whichever is not applicable):

COMPANY/PARTNERSHIP/ONE-PERSON BUSINESS/CLOSE CORPORATION/JOINT VENTURE

A. COMPANY

If the bidder is a company, a certified copy of the resolution of the board of directors that is personally signed by the chairperson of the board, authorising the person who signs this bid to do so and to sign any contract resulting from this bid, and any other documents and correspondence in connection with this bid or contract on behalf of the company, must be submitted with this bid.

An e	example is	shov	vn be	low:							
auth	norised Number	to	S	sign	all	docur	nents	in	conne	ction	with
SIG	NATURE C	F S	IGNA	TORY:	••••						
WIT	NESSES:		1								

B. PARTNERSHIP

The following particulars in respect of every partner must be furnished and signed by every partner:

Full name of partner	Residential a	address Signature	
		the business trading hereby author to sign this bid as well as a	rise
	he bid and any othe	r documents and correspondence	
Signature		Signature	
Date	Date	Date	
C. ONE-PERSON BU	ISINESS		
		, here	
confirm that I am		of the business trading	as
Signature	 Date		

D. CLOSE CORPORATION

In the case of a close corporation submitting a bid, a certified copy of the founding statement of such corporation shall be included with the bid with a resolution by its members, authorising a member or other official of the corporation to sign the documents and correspondence in connection with this bid or contract on behalf of the company.

An example is show	vn below:
By resolution of the	members at the meeting on
signature appears	below, has been duly authorised to sign all documents in Number
SIGNED ON BEHA	LF OF THE CLOSE CORPORATION:
IN HIS/HER CAPA	CITY AS:
DATE:	
SIGNATURE OF S	IGNATORY:
WITNESSES:	1
	2

E. CERTIFICATE OF AUTHORITY FOR JOINT VENTURES

This returnable schedule is to be completed by joint ventures.

We, the undersigned, are submitting this bid	d offer in joint venture and hereby authorise
Mr/Ms	, authorised signatory of the
company	, acting in the capacity of the
lead partner, to sign all documents in conr	nection with the bid offer and any contract
resulting from it on our behalf.	•

NAME OF FIRM	ADDRESS	DULY AUTHORISED SIGNATORY
Lead partner		Signature: Name: Designation:
		Signature: Name: Designation:
		Signature: Name: Designation:
		Signature: Name: Designation:

REGIONAL OPERATIONS AND COORDINATION

TENDER FOR THE SUPPLY, DELIVERY AND OFF-LOADING OF PRECAST CONCRETE UNITS AND PAVING BLOCKS, AS AND WHEN REQUIRED: 3 YEAR PERIOD

BID NUMBER: ROC 10 2024/25

1. INTRODUCTION AND PURPOSE

The tender is to acquire the services of a service provider to supply and deliver Precast concrete units to regional roads and storm-water maintenance depots or construction site in the City of Tshwane.

2. BACKGROUND

The City of Tshwane Regional Roads and Storm-water maintenance sections make use of Precast concrete units to repair road infrastructure i.e. Kerbs, slabs, storm-water inlets and bollards. The regional maintenance sections must have enough stock of these products to be able to respond adequately during their reactive maintenance processes.

3. PROJECT SCOPE

The City of Tshwane requires the following services to be conducted by the appointed service provider:

SCOPE

Tenders are hereby invited for the supply, delivery and off-loading of pre-cast concrete units for City of Tshwane Departmental Operational teams for maintenance and road construction requirements.

Item 1a): Enviro-wall block

Item 1b): Enviro-wall base-block

Item 2a): Terrace block.

Item 2b): Terrasil terrace block.

Item 3: Terraforce terrace block

Item 4a): Grass Block.

<u>Item 4b)</u>: Grass Block of the BG type.

Item 5a): Löffelstein L300 brick

<u>Item 5b)</u>: Löffelstein L500 brick

<u>Item 5c)</u>: Waterlöffel brick

Item 6: Armorflex 140 : STD012.

<u>Item 7</u>: Interlocking class 25 G-Block paving blocks as follows:

a) Full blocks, 225mm long x 112,5mm wide x 60mm thick in standard grey.

b) Full blocks, 225mm long x 112,5mm wide x 60mm thick in colour.

c) Full blocks, 225mm long x 112,5mm wide x 80mm thick in standard grey.

d) Full blocks, 225mm long x 112,5mm wide x 80mm thick in colour.

<u>Item 8</u>: Interlocking class 25 "Double Zig Zag" paving blocks as follows:

a) Full blocks, 205mm long x 100mm wide x 60mm thick in standard grey.

b) Full blocks, 205mm long x 100mm wide x 60mm thick in colour.

c) Full blocks, 205mm long x 100mm wide x 80mm thick in standard grey.

d) Full blocks, 205mm long x 100mm wide x 80mm thick in colour.

<u>Item 9a)</u>: Bevelled rectangular paving blocks in standard grey.

<u>Item 9b)</u>: Bevelled rectangular paving blocks in colour.

<u>Item 10a)</u>: Rectangular paving blocks in standard grey.

Item 10b): Rectangular paving blocks in colour.

<u>Item 11a)</u>: Non-bevelled rectangular paving blocks in standard grey colour.

<u>Item 11b)</u>: Non-bevelled rectangular paving blocks in various colours.

<u>Item 12a</u>): 450 x 450 mm x 50 mm block paving in standard grey.

Item 12b): 450 x 450 mm x 50 mm block paving in various colours.

<u>Item 13a</u>): Figure 6, Vertical kerbs 1000mm long for edge restraint.

<u>Item 13b)</u>: Figure 12, Vertical kerbs 1000mm long for edge restraint.

Item 14a): Figure 3 Kerbing, 1 000 mm long, conforming in all respects to the

requirements of the latest edition of SANS 927.

<u>Item 14b</u>): Figure 3 Kerbing, 500 mm long, conforming in all respects to the requirements

of the latest edition of SANS 927.

<u>Item 15c)</u>: Figure 3 Kerbing, 300 mm long, conforming in all respects to the requirements of the latest edition of SANS 927.

<u>Item 15a)</u>: Figure 7 Kerbing, 1 000 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: STD003.1.

<u>Item 15b</u>): Figure 7 Kerbing, 500 mm long, conforming in all respects to the requirements of the latest edition of SANS 927.

<u>Item 15c)</u>: Figure 7 Kerbing, 300 mm long, conforming in all respects to the requirements of the latest edition of SANS 927.

Item 16a): Kerb Inlet, 600 mm long U-Kerb (Type 1, straight unit): STD003.2.

Item 16b): Kerb Inlet, 600 mm long U-Kerb (Type 2, angled unit): STD003.2.

<u>Item 16c)</u>: End pieces for catch pit sections.

<u>Item 17a</u>): Bottom Kerb Inlet (Type1, straight unit) according to attached drawing: STD003.2.

<u>Item 17b)</u>: Bottom Kerb Inlet (Type 2, angled unit) according to attached drawing: STD003.2.

<u>Item 18</u>: Precast Slab for kerb inlet, (rectangular) according to attached drawing: STD003.2.

<u>Item 19</u>: Precast Slab for kerb inlet, (cut-off corner) according to attached drawing: STD003.2.

<u>Item 20a-h)</u>: Precast KI slabs, various sizes, panel. : STD003.2.

<u>Item 21a-i)</u>: Precast JB slab, various sizes, panel: STD004.1.

<u>Item 22</u>: Steel frame for catch pit (Length 3000mm) according to the attached drawing: STD003.2.

Item 23: Pedestrian ramp block 300 x 300 x 100: STD003.2.

<u>Item 24</u>: Concrete Tree ring, inside diameter 1000mm

Item 25a): Concrete bollards 150mm diameter: STD011.

Item 25b): Concrete bollards 250mm diameter: STD011.

<u>Item 26a-h)</u>: Concrete draw box, inside diameter 750mm: STD004.6.

Item 27a-h): Centurion Transition Kerbs 1-4

Item 28: Median Barriers Concrete (SANRAL) 1000mm high

Dimensions and quality are to be as hereinafter described.

REQUIREMENTS:

The contractor agrees and undertakes to supply the concrete units for a period of three (3) years , and to duly deliver such concrete units at such place/s as the Municipality may direct within the limits of the Municipal Area of Tshwane, it being hereby understood that the term "delivered" includes off-loading by the Contractor/s or his/their authorized representative/s and handing over to the responsible official of the Municipality at the sites where such concrete units are required to be delivered.

The City of Tshwane reserves the right to test precast concrete units delivered to any site during the duration of the contract and will reject any products that do not comply to specification.

All damaged concrete units will be rejected and must be replaced by the contractor at his own cost.

SPECIFICATION:

Item 1(a)

Concrete block required under <u>Item 1(a)</u> will stack and interlock to produce a gravity retaining wall. The block shall be reversible to give either a smooth or grooved finishing-face.

These blocks will conform to Enviro Wall Block.

The basic dimensions of this block shall be:

Length: 275 mm
Width: 300 mm
Height: 135 mm
Mass: 25 kilogram

<u>Item 1(b)</u>

The concrete base block required under Item 1(b), will give a 70 degree angle of inclination to the gravity retaining wall. This base block shall fit and give support to the bottom of Item 1(a).

The basic dimensions of this block shall be:

Length: 275 mm
Width: 300 mm
Height: 200 mm
Mass: 24 kilogram

Item 2(a)

Rectangular concrete building block required under <u>Item 2(a)</u>, with open base and top, with cut-outs on the back and 20mm stand-up lip in front. The stacked blocks shall give an angle of inclination of 75 degrees. These blocks will conform to the Terrace Block on the attached drawing.

The basic dimensions of this block shall be:

Length: 390 mm
Width: 190 mm
Height: 170 mm
Mass: 17 kilogram

Item 2(b)

This hallow semi-circular concrete block required under <u>Item 2(b)</u>, will form a self-supporting dry-stacked retaining wall. These blocks shall conform to the Terrasil Block on the attached drawing.

The basic dimensions of this block shall be:

Height: 300 mm Mass: 45 kilogram

Item 3 This reversible hallow concrete block required under Item 3, will form a earth retaining and stabilising system with a closed vertical and open horizontal surface structure.

The basic dimensions of this block shall be:

Length:425 mmWidth:340 mmHeight:225 mmMass:28 kilogram

Item 4(a) This concrete block required under Item 4(a) consists of a concrete grid having soil chambers and regularly spaced concrete projections for wheel contact at the surface. These blocks will confirm with the "K" Grass Block on attached drawing. The minimum concrete strength shall be not less than 25 MPa at 28 days.

The basic dimensions of this block shall be:

Thickness: 90 mm
Length: 600 mm
Width: 400 mm
Mass: 25 kilogram

Item 4(b) This concrete block required under Item 4(b), consists of a concrete grid having soil chambers and regularly spaced concrete projections for wheel contact at the surface. The surface area comprises approximately 75% grass and 25% concrete, while the bearing area is 88% concrete. These blocks will confirm with the "BG" Grass Block on attached drawing. The minimum concrete strength shall be not less than 25 MPa at 28 days.

The basic dimensions of this block shall be:

Thickness: 120 mm
Length: 600 mm
Width: 400 mm
Mass: 37 kilogram

<u>Item 4(c)</u> This interlocking hallow concrete block required under <u>Item 4(c)</u>, forms a flexible lining for protection against wind and water erosion.

The basic dimensions of this block shall be:

Length : 452 mm
Width : 320 mm
Height : 100 m
Mass : 12 kilogram

Item 4(d) This interlocking hallow concrete block required under Item 4(d), forms a flexible lining for protection against wind and water erosion.

The basic dimensions of this block shall be:

Length:452 mmWidth:320 mmHeight:150 mmMass:19 kilogram

<u>Item 5(a)</u>

This linked retaining wall concrete brick required under <u>Item 5(a)</u>, shall be capable of an angle of inclination of between 25 and 70 degrees in the dry stacked method. This concrete brick shall have a three-sided webconstruction and be of the L300 type.

The basic dimensions of this brick shall be:

Length:170 mmWidth:300 mmDepth:450 mmMass:33 kilogram

<u>Item 5(b)</u>

This linked retaining wall concrete brick required under Item 5(b), shall be capable of an angle of inclination of between 25 and 70 degrees in the dry stacked method. This concrete brick shall have a three-sided webconstruction and be of the L500 type.

The basic dimensions of this brick shall be:

Length:170 mmWidth:500 mmDepth:450 mmMass:52 kilogram

Item 5(c)

This linked waterway bank protection concrete brick required under Item 5(c), shall be capable of being laid from below water to above the high water mark to protect a bank from scouring. It must be capable of being dry-stacked at an angle of inclination between 45 and 70 degrees.

The basic dimensions of this brick shall be:

Height : 150 mm Length : 650 mm

Width: 650 mm (incl of wings)

450 mm (excl of wings)

Mass : 72 kilogram

Item 6 These compressed concrete blocks with vertical holes and two horizontal cable ducts required under Item 6, STD012, are of a shape that they interlock with each other transversely across and can be joined by cable to form a mat. These blocks are specially tapered to allow for flexibility and conforms to ground contours and resists high water flow velocities. The matrix of open cells allows for ground filling which allows the establishment of natural vegetation when laid.

The basic dimensions of this block shall be:

Height : 95 mm Length : 340 mm Width : 400 mm Mass : 17.5 kilogram

These blocks shall be interlinked with steel wire, cable or polyester rope.

<u>Item 7</u> Interlocking paving blocks required under <u>Item 7</u> shall be of Class 25 G-Block or similar.

The interlocking paving blocks shall have a 16 face positive angular interlock, the top surface shall be chamfered with the wearing surface non-skid. The blocks must have a constant cross-section. Six spacer bars shall be provided around the block with a spacer height of 1.5 milli-meters above the vertical surface of the block. The provision of interlocking paving blocks must include edge blocks to eliminate cutting of full blocks to complete the full interlock pattern.

The blocks must be able to be laid in herring-bone, parquet and stretcher patterns.

The size of the blocks shall be as follows:

There are to be approximately 40 blocks to a square metre paving area.

Full blocks

Length : 225 mm
Width : 112.5 mm
Thickness : 60 or 80 mm

The block thickness shall be within 2mm of the specified thickness.

The blocks are to be delivered to site in strapped and wrapped bundles and under no circumstances will "tipped" blocks be accepted.

The individual blocks shall have a 28 day compressive strength of not less than 20 MPa (Wet), after blocks have been saturated in water for at least 24 hours before testing.

The blocks shall carry the SANS mark.

The aspects of appearance, tolerance etc as well as test methods shall be in accordance with the Concrete Masonry Association's Specification and SANS 1058.

<u>Item 8</u> Interlocking paving blocks required under <u>Item 8</u> shall be Class 25. Compressive strength shall not be less than 20 MPa (Wet).

The interlocking paving blocks shall have a 16 face positive angular interlock, the top surface shall be chamfered with the wearing surface non-skid. The blocks must have a constant cross-section. The provision of interlocking paving blocks to eliminate cutting of full blocks to complete the full interlock pattern.

The blocks must be able to be laid in herring-bone, parquet and stretcher patterns.

The size of the blocks shall be as follows:

There are to be approximately 48 blocks to a square metre paving area.

Full blocks

Length : 205 mm
Width : 100 mm
Thickness : 60 or 80 mm

The block thickness shall be within 2mm of the specified thickness.

The blocks are to be delivered to site in strapped and wrapped bundles and under no circumstances will "tipped" blocks be accepted.

The individual blocks shall have a 28 day compressive strength of not less than 20 MPa (Wet), after blocks have been saturated in water for at least 24 hours before testing.

The blocks shall carry the SANS mark.

The aspects of appearance, tolerance etc as well as test methods shall be in accordance with the Concrete Masonry Association's Specification and SANS 1058.

Bevelled paving blocks of rectangular shape required under Item 9(a), for paving of sidewalks in standard grey. The minimum thickness shall be at least 60 mm with a bevel of 6 mm by 4 mm. The concrete strength shall be at least 25 Mpa at 28 days.

The basic dimension of this block shall be:

Thickness : 60 mm minimum

Length : 210 mm Width : 105 mm

Item 9(b)

Bevelled paving blocks of rectangular shape required under Item 9(b), for paving of sidewalks in various colours. The minimum thickness shall be at least 60 mm with a bevel of 6 mm by 4 mm. The concrete strength shall be at least 25 Mpa at 28 days.

The basic dimension of this block shall be:
Thickness: 60 mm minimum

Length : 210 mm Width : 105 mm

Item 10(a)

Paving blocks of rectangular shape are required under <u>Item 10(a)</u> for paving of sidewalks in standard grey. The minimum thickness shall be at least 50 mm.

The concrete strength shall be at least 25 MPa at 28 days.

The basic dimension of this block shall be:

Thickness: 50 mm minimum

Length : 200 mm Width : 100 mm

Item 10(b)

Paving blocks of rectangular shape required under <u>Item 10(b)</u>, for paving of sidewalks in various colours. The minimum thickness shall be at least 50 mm.

The concrete strength shall be at least 25 Mpa at 28 days.

The basic dimension of this block shall be:

Thickness : 50 mm minimum

Length : 200 mm Width : 100 mm

<u>Item 11(a)</u>

Non-bevelled paving blocks of rectangular shape required under Item 11(a), for paving of sidewalks. The thickness shall be 50mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 MPa at 28 days. The colour shall be standard grey.

The basic dimension of this block shall be:

Thickness : 50 mm Length : 200 mm Width : 150 mm

The coverage shall be approximately 33 blocks per square metre.

Item 11(b)

Non-bevelled paving blocks of rectangular shape required under Item 11(b), for paving of sidewalks. The thickness shall be 50mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 MPa at 28 days. The block shall be various colours.

The basic dimension of this block shall be:

Thickness : 50 mm Length : 200 mm Width : 150 mm

The coverage shall be approximately 33 blocks per square metre.

Item 12(a)

Square paving block required under <u>Item 12(a)</u>, for paving of sidewalks. The thickness shall be 50 mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 Mpa at 28 days. The block shall be standard grey.

The basic dimension of this block shall be:

Thickness : 50 mm Length : 450 mm Width : 450 mm

The coverage shall be approximately 4 blocks per square metre.

Item 12(b)

Square paving block required under <u>Item 12(b)</u>, for paving of sidewalks. The thickness shall be 50 mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 Mpa at 28 days. The block shall be in various colours.

The basic dimension of this block shall be:

Thickness : 50 mm Length : 450 mm Width : 450 mm

The coverage shall be approximately 4 blocks per square metre.

<u>Item 13(a)</u> Kerbs for edge restraint to paving, required under <u>Item 13(a)</u>, must comply with the requirements of the latest editions of SANS 927. These kerbs must conforms with the Kerb Fig 6 item on attached drawing.

The basic dimension of these kerbs shall be:

 Height
 :
 230 mm

 Length
 :
 1000mm

 Width
 :
 75 - 125mm

Item 13(b)

Kerbs for edge restraint to paving required under <u>Item 13(b)</u>, must comply with the requirements of the latest edition of SANS 927. These kerbs must conforms with the Kerb Fig 12 item on attached drawing.

The basic dimension of these kerbs shall be:

Height : 150 mm Length : 1000mm Width : 75 mm

<u>Item 14</u>

The pre-cast concrete kerbing supplied under <u>Items 14(a)</u>, (b), (c), 15(a), (b), <u>and (c)</u> shall in all respects conform to the requirements of the latest edition of SANS 927.

Length of kerbing required:

 Item 14(a) and 15(a)
 : 1 000 mm each

 Item 14(b) and 15(b)
 : 500 mm each

 Item 14(c) and 15(c)
 : 300 mm each

The other dimensions are as follows:

Items 14(a) (b) and (c) (Figure 3)

Height : 300 mm
Bottom width : 150 mm
Top width : 125 mm
Width 180 mm from top : 150 mm

<u>Items</u> 15(a), (b) and (c)

Height : 280 mm
Bottom width : 180 mm
Top width : 75 mm
Width 140 mm from top : 180 mm

- <u>Item 16</u> The pre-cast concrete kerb inlets (Type 1, straight unit and Type 2, angled unit) required under <u>Item 16(a) and 16(b)</u>, shall be 600mm long x 670mm high x 2 legs 570mm. A 50mm hole is to be provided for lifting purposes. (See attached drawing Pre-cast Kerb Inlet, for dimensions).
- Item 16 The pre-cast concrete end pieces, required under Item 16(c), shall be 690 mm x 575 mm x 75 mm thick. The other dimensions of the catch pit sections are shown on the attached drawings (Pre-cast U Kerb Inlet).
- Item17 The pre-cast concrete Bottom Kerb Inlet (Type 1 and 2), required under Item 17(a) and 17(b), shall be 600 mm long and conform to the dimensions and specifications indicated on drawings (Pre-cast Bottom for Kerb Inlet).

- Item 18-19 The pre-cast slabs for the kerb inlet, required under Item 18 and 19, shall be 1500 mm long and conform to the dimensions and specifications indicated on drawings (Pre-cast Slabs for Kerb Inlet).
- <u>Item 20a-h</u>) The pre-cast slabs for the kerb inlet required under <u>Items 20a</u>) to <u>20h</u>, dimensions and full details, including steel reinforcement and concrete quality are indicated on the attached drawings STD003. They are to include 2 x 50mm diameter sleeves for lifting purposes (Pre-cast Concrete Slabs).
- <u>Item 21a-i</u>) The pre-cast slabs for the Junction boxes required under <u>Items 21a</u>) to <u>21i</u>), dimensions and full details, including steel reinforcement and concrete quality are indicated on the attached drawings Table A, STD004. They are to include 2 x 50mm diameter sleeves for lifting purposes (Pre-cast Concrete Slabs).
- Item 22 The steel frame for catch-pits required under Item 22, are to conform with the dimensions indicated on drawing "B" and are to be painted with an epoxy paint such as "epoxy aluminium EPD 428" or such like. This frame is to be made either in the left hand or right hand form, as required.
- <u>Item 23</u> The concrete pedestrian ramp block 330 x 330 x 100 mm under <u>Item 23</u>, is to conforms with the detail indicated on the attached drawings (Pedestrian Ramp Block).
- <u>Item 24</u> The concrete tree ring under <u>Item 24</u> is to conform to the detail indicated on the attached drawing (Tree Ring), inside diameter 1000mm.
- Item 25(a) This reinforced concrete pole required under Item 25(a), must be able to be planted at a certain depth in the ground in an upright position to form a barricade to prevent vehicular movement in certain areas. These reinforced concrete poles must conform to the Concrete Bollard item on attached drawing.

The basic dimension of this pole shall be: Height: 1 400 mm minimum

Diameter: 150 mm

25 MPa concrete to be used with four Y 10 reinforcing steel bars, 1 325mm long in the length and spaced evenly in the circumference of the bollard with a minimum concrete cover of 25mm.

Item 25(b)

This reinforced concrete pole required under Item 25(b), must be able to be planted at a certain depth in the ground in an upright position to form a barricade to prevent vehicular movement in certain areas. These reinforced concrete poles must conform to the Concrete Bollard item on attached drawing.

The basic dimension of this pole shall be:

Height: 1 400 mm minimum

Diameter : 250 mm

25 MPa concrete to be used with four Y 10 reinforcing steel bars, 1 325mm long in the length and spaced evenly in the circumference of the bollard with a minimum concrete cover of 25mm.

Item 26a-g) The concrete draw box, inside diameter 750mm under Item 26a) to 26g) is to conform to the detail indicated on the attached drawing (Draw Box for Cables) and Manhole covers, STD004, page 6.

Item 27a-h) Centurion Transition Kerbs, Items 1-4, according to the attached drawing

Item 28 Median barrier concrete (SANRAL) under Item 28 consists of a concrete barrier 1000mm high x 3850m long x 800mm wide at the base and 390mm wide at the top. Manufactured with 30 MPA concrete and steel reinforcing according to the SANRAL specification

QUALITY:

In the event of any pre-cast concrete units supplied to the Municipality by the Contractor/s being of an inferior quality or not according to the specifications, the Municipality will reject such products at the cost of the supplier.

DELIVERABLES:

The delivery of the order shall not be unduly delayed, and tenderers are reminded that orders placed against accepted tenders are to be executed in strict accordance with the accepted specification. Delivery period of 30 days for the first order and 14 days for the subsequent following orders.

APPOINTMENT:

The tender will be awarded as a whole to 2 bidders to be utilised on a rotational basis, with purchase orders issued on an equal amount or quantity.

4. STAGES OF EVALUATION

The bid will be evaluated in three (3) stages as follows:

Stage 1: Administrative compliance

Stage 2: Mandatory Requirements

Stage 3: Preferential point system

4.1 STAGE 1: ADMINISTRATIVE COMPLIANCE

All the bids will be evaluated against the administrative responsiveness requirements as set out in the list of returnable documents.

Compulsory Returnable Documentation (Submission of	Submitted	Checklist (Guide for
,	(YES or NO)	Bidder and the Bid
these are compulsory)		Evaluation Committee)
 a) To enable The City to verify the bidder's tax compliance status, the bidder must provide; A copy of their Tax Clearance Certificate (TCS); or Indicate their tax compliance status PIN. 		TCS must be in the same business name as the bidding company. TCS must be valid. Tax status must be compliant before the award.
b) A copy of their Central Supplier Database (CSD) registration; or indicate their Master Registration Number / CSD Number;		CSD must be valid. Tax status must be compliant before the award.
c) Confirmation that the bidding company's rates and taxes are up to date: Original or copy of Municipal Account Statement of the Bidder (bidding company) not older than 3 months and account must not be in arrears for more than ninety (90) days; or ,signed lease agreement or In case of bidders located in informal settlement, rural areas or areas where they are not required to pay Rates and Taxes a letter from the local councilor confirming they are operating in that area		Was a Municipal Account Statement or landlord letter provided for the bidding company? The name and / or addresses of the bidder's statement correspond with CIPC document, Address on CSD or Company profile? Are all payment(s) up to date (i.e. not in arrears for more than 90 days?
 d) In addition to the above, confirmation that all the bidding company's owners / members / directors / major shareholders rates and taxes are up to date: Original or copy of Municipal Account Statement of all the South African based owners / members / directors / major shareholders not older than 3 		Was a Municipal Account Statement or landlord letter provided for the bidding company? The name and / or addresses of the bidder's statement correspond with CIPC document, Address on CSD or

months and the account/s may not be in arrears for more than ninety (90) days; or a signed lease agreement of owners / members / directors / major shareholders or In case of bidders located in informal settlement, rural areas or areas where they are not required to pay Rates and Taxes a letter from the local councilor confirming they are residing in that area		Company profile? Are all payment(s) up to date (i.e. not in arrears for more than 90 days?
e) Duly Signed and completed MBD forms (MBD 1, 4, 8 and 9) The person signing the bid documentation must be authorized to sign on behalf of the bidder. Where the signatory is not a Director / Member / Owner / Shareholder of the company, an official letter of authorization or delegation of authority should be submitted with the bid document. NB: Bidders must ensure that the directors, trustees, managers, principal shareholders, or stakeholders of this company, declare any interest in any other related companies or business, whether or not they are bidding for this contract. See Question 3.14 of MBD 4. Failure to declare interest will result in a disqualification		All documents fully completed (i.e. no blank spaces)? All documents fully signed? Signature authorized (any director / member / trustee as indicated on the CIPC document, alternatively a delegation of authority would be required? Documents completed in black ink (i.e. no "Tippex" corrections, no pencil, no other color ink, or non-submission of the above, will be considered)?
f) Financial Statements for the most recent three (3) years or financial statements from date of existence for companies less than three years old. NB: The bidder must submit signed audited annual financial statements for the most recent three years, or if established for a shorter period, submit audited annual financial statements from date of establishment. If the bidder is not required by law to prepare signed annual financial statements for auditing purposes, then the bidder must submit proof that the bidder is not required by law to prepare audited financial statements.	N/A	Applicable for tenders above R10m in conjunction with MBD 5) Are Audited financial statements provided (Audited financials must be signed by auditor)? Or proof that the bidder is not required by law to prepare audited financial statements.
g) Joint Ventures (JV) – (Only applicable when the bidder tenders as a joint venture) Where the bidder bids as a joint venture (JV), the required or relevant documents as per (a) to (f) above must be provided for all JV parties. In addition to the above the bidder must submit a Joint Venture (JV) agreement signed by the relevant parties. NB: It is a condition of this bid that the successful bidder will continue with the same Joint Venture (JV) for the duration of the contract unless prior approval is obtained from the City.		If applicable. JV agreement provided? JV agreement complete and relevant? Agreement signed by all parties? All required documents as per (i.e. a to f) must be provided for all partners of the JV.
h) Bidder attended a compulsory briefing session where applicable		A compulsory briefing register must be signed by the bidder.

	Bidders will be disqualified should they fail to attend compulsory briefing session
i) Pricing schedule (All items must be quoted for in pricing schedule and if not, all items are quoted the bidder will be disqualified). Unless the tender is awarded per item or per section where the bidder	Incomplete pricing schedule results in totals being incomparable. Bidder must be disqualified.
only quoted the items or sections, they are interested in.	Bidder will be disqualified should they make corrections on the price schedule without attaching a signature thereto.
	Bidder will be disqualified should they use tippex/ correction ink, on the price schedule.

4.2 STAGE 2: MANDATORY REQUIREMENTS

• Bidders must submit the company's SABS 927:2019 Certificate of compliance.

Bidders that submitted and comply with all the mandatory requirements will be evaluated further to STAGE 3 of the Preferential Points System.

4.3 STAGE 3: PREFERENTIAL POINT SYSTEM

The preferential points to be used will be the 80/20 points system in terms of the Preferential Procurement Policy Framework Act, 2000 (Act 5 of 2000) Regulations 2022. The system comprises of the following elements:

- 80 points for price
- 20 points for specific goals

Specific goals	80/20 preference point system	Proof of specific goals to be submitted
BB-BEE score of companies Level 1 Level 2 Level 3 Level 4 Level 5 Level 6 Level 7 Level 8 Non-compliant	 8 Points 7 Points 6 Points 5 Points 4 Points 3 Points 2 Points 1 Point 0 Points 	Valid Certified copy of BBBEE certificate. Sworn Affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises or CIPC BBBEE certificate.
EME and/ or QSE	2 Points	Valid Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises or CIPC BBBEE certificate

At least 51% of Women-owned companies	2 Points	Certified copy of Identity Document/s <u>and</u> proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership)
At least 51% owned companies by People with disability	2 Points	Medical Certificate with doctor's details (Practice Number, Physical Address, and contact numbers) and proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership
At least 51% owned companies by Youth	2 Point	Certified copy of Identity Document/s <u>and</u> proof of ownership (Sworn affidavit for B-BBEE qualifying small enterprise or Exempt Micro Enterprises, CIPC registration or any other proof of ownership
Local Economic Participation	4 Points 2 Points 1 Point	Municipal Account statement/Lease agreement.

5. VALIDITY PERIOD

The validity period for the tender after closure is 90 days. The city shall have right and power to extent any tender validity period beyond any initial validity period set and subsequent extensions. SCM shall ensure that an extension of validity is requested in writing from all bidders before the validity expiry date. Extension of validity shall be finalised while the quotations/bids are still valid.

6. PRICING SCHEDULE

ITEM	Material Number	REQUIRE MENTS	QUANTIT Y	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
1a)	200000043210	Enviro- wall block	830	each		
1b)	200000043211	Enviro- wall base- block	830	each		

ITEM	Material Number	REQUIRE MENTS	QUANTIT Y	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)			
2a)		terrace	830	each					
,	200000043212	block							
2b)	200000043213	Terrasil terrace block	830	each					
3	200000043214	Terraforce terrace block	830	each					
4a)	200000043215	Grass Block of the K type	830	each					
4b)	200000043216	Grass Block of the BG type	830	each					
5a)	200000043219	Löffelstein L300 brick	830	each					
5b)	200000043220	Löffelstein L500 brick	830	each					
5c)	200000043221	Waterlöffel brick	830	each					
6)	200000043222	Armorflex 140	830	each					
	Series 1: Total price (excluding vat) for Items 1-6 transferred to summary table								

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
7	20000004322 3	Interlocking paving blocks of Class 25, G Block as follows:				

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
7a)	20000004322	Full blocks, 225mm long x 112,5mm wide x 60mm thick in standard grey	1250	M2		
7b)	20000004322 5	Full blocks, 225mm long x 112,5mm wide x 60mm thick in colour	1250	M2		
7c)	20000004322 6	Full blocks, 225mm long x 112,5mm wide x 80mm thick in standard grey	1250	M2		
7d)	20000004322 3	Full blocks, 225mm long x 112,5mm wide x 80mm thick in colour	1250	M2		
8		Interlocking paving blocks of Class 25 "Double Zig Zag" as follows:	1250			
8a)	20000004322 7	Full blocks, 205mm long x 100mm wide x 60mm thick in standard grey	1250	M2		
8b)	20000004322 8	Full blocks, 205mm long x 100mm wide x 60mm thick in colour	1250	M2		
8c)	20000004322 9	Full blocks, 205mm long x 100mm wide x 80mm thick in standard grey	1250	M2		
8d)	20000004323 0	Full blocks, 205mm long x 100mm wide x 80mm thick in colour	1250	M2		
9a)	20000004323 1	Bevelled rectangular paving blocks in standard grey	1250	M2		
9b)	20000004323	Bevelled rectangular paving blocks in colour	1250	M2		
10a)	20000004323 3	Rectangular paving blocks in standard grey	1250	M2		
10b)	20000004323 4	Rectangular paving blocks in colour	1250	M2		
11a)	20000004323 5	Non-bevelled rectangular paving blocks in standard grey	1250	each		

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
11b)	20000004323 6	Non-bevelled rectangular paving blocks in standard various colours	1250	each		
12a)	20000004323 7	450 x 450mm x 50mm block paving in standard grey	1250	each		
12b)	20000004323 8	450 x 450mm x 50mm block paving in colour	1250	each		
	Series 2: Total p					

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
13a)	200000043239	Figure 6 Vertical kerbs for edge restraint (1000mm)	385	each		
13b)	200000043240	Figure 12 Vertical kerbs for edge restraint (1000mm)	385	each		
14a)	100000002391	Figure 3 Kerbing, 1 000 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: 100000002391	385	each		
14b)	100000002390	Figure 3 Kerbing, 500 mm long, conforming in all respects to	385	each		

	Material		QUANTITY			PRICED DELIVERED
ITEM	Number	REQUIREMENTS		UNIT	UNIT PRICE DELIVERED	(UNIT PRICE X QUANTITY)
					(EXCL VAT)	(EXCL VAT)
		the requirements of the latest edition of SANS 927: 100000002390				
14c)		Figure 3	385	each		
	100000002389	Kerbing, 300 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: 1000000002389				
15a)		Figure 7	385	each		
	100000002388	Kerbing, 1 000 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: 1000000002388				
15b)		Figure 7	385	each		
	100000002387	Kerbing, 500 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: 1000000002387				
15c)		Figure 7	385	each		
	100000002386	Kerbing, 300 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: 1000000002386				
16a)		Kerb Inlet, 600 mm long	385	each		
	200000043241	(Type 1 straight unit) STD003, Page 2				
16b)	200000043242	Kerb Inlet, 600 mm long	385	each		

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
		(Type 2 angled unit) STD003, Page 2				
16c)	200000043243	End pieces for catch pit sections	385	each		
17a)	200000043244	Bottom Kerb Inlet, type 1, straight unit	385	each		
17b)	200000043245	Bottom Kerb Inlet, type 2,angled unit	385	each		
	Series 3: Total pr	ice (exl vat) for Item	s 13-17 transf	er to sun	nmary table	

ITEM	Material number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
18	200000043246	Pre-cast slab for kerb inlet, (rectangular)	55	each		
19	100000002367	Pre-cast slab for kerb inlet, (cut-off corner)	55	each		
20a)	100000002661	Precast KI Slab 600 x 450 x 75 panel,	55	each		
20b)	100000002662	Precast KI Slab 600 x 600 x 75 panel:	55	each		
20c)	100000002663	Precast KI Slab 600 x 900 x 75 panel:	55	each		

ITEM	Material number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
20d)	100000002659	Precast KI Slab 600 x 1000 x 100 panel:	55	each		
20e)	100000002664	Precast KI Slab 600 x 1200 x 100 panel:	55	each		
20f)	100000002660	Precast KI Slab 600 x 1350 x 150 panel:	55	each		
20g)	100000002667	Precast KI Slab 600 x 2250 x 150 panel:	55	each		
20h)	100000002668	Precast KI Slab 600 x 3000 x 150 panel:	55	each		
21a)	100000023963	Precast JB Slab 600 x 1000 x 150 panel,	55	each		
21b)	100000023952	Precast JB Slab 600 x 1250 x 150 panel:	55	each		
21c)	100000023951	Precast JB Slab 600 x 1500 x 175 panel:	55	each		
21d)	100000023950	Precast JB Slab 600 x 1750 x 175 panel:	55	each		
21e)	100000023949	Precast JB Slab 600 x 2000 x 200 panel:	55	each		
21f)	100000023948	Precast JB Slab 600 x 2250 x 200 panel:	55	each		
21g)	100000023947	Precast JB Slab 600 x 2500 x 200 panel:	55	each		
21h)	100000023946	Precast JB Slab 600 x 2750 x 225 panel:	55	each		

ITEM	Material number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
21i)	100000023945	Precast JB Slab 600 x 3000 x 225 panel:	55	each		
	Series 4: Total price	e (excl vat) for Items 1	8-21 transfer to	summary		

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
22a)	100000020320	Steel frame (right)for catch pit (3000mm)	25	each		
22b)	100000002368	Steel frame (left) for catch pit (3000mm)	25	each		
	Series 5: Total p table	rice(exc vat) for Ite	m 22 (a) & (b)	transfe	r to summary	
ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
23	100000002246	Pedestrian Ramp Block STD009	250	each		

			250			
24	200000043251	Concrete tree ring, ID 1000mm		each		
			250			
25a)		Concrete bollards STD011		each		
	100000002552	150mm diameter:				
			250			
25b)		Concrete bollards STD011		each		
	100000002553	250mm diameter:				
	Series 6: Total p summary table	rice (excluding vat)	for Items 23-2	25(a) & (b) transfer to	

	Material Number		QUANTITY	UNIT	UNIT PRICE DELIVERED	PRICED DELIVERED (UNIT PRICE X QUANTITY)
ITEM		REQUIREMENTS			(EXCL VAT)	(EXCL VAT)
			70			
26a)	200000043252	Concrete draw box, ID 750mm		each		
			70			
26b)	100000002342	Concrete Manhole Cover H/D 2A (650x560x100):		each		
			70			
26c)	200000043254	Concrete Manhole Frame H/D 2A (808x634x100):		each		
			70			
26d)	200000043267	Concrete Manhole Section H/D 2A (1000x250&step):		each		
			70			
26e)	100000002295	Concrete Manhole Slab H/D 2A (1000x560x100):		each		
			70			
26f)	200000043256	Concrete Manhole Spacer H/D 2A (800 round)		each		
			70			
26g)	100000002657	Concrete Manhole Cover H/D 2A (1000x560x100)		each		
	Series 7: Total pr table	rice excl vat for Itel	ms 26a) – 26g) transfe	er to summary	

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERE D (EXCL VAT)	PRICED DELIVERED (UNIT PRICE X QUANTITY) (EXCL VAT)
27a)	200000043258	Centurion Transition kerbs (900mm) Item 1, Left:	30	each		
27b)	200000043259	Centurion Transition kerbs (900mm) Item 1, Right:	30	each		
27c)	200000043260	Centurion Transition kerbs (900mm) Item 2, Left:	30	each		
27d)	200000043261	Centurion Transition kerbs (900mm) Item 2, Right:	30	each		
27e)	200000043262	Centurion Transition kerbs (900mm) Item 3, Left:	30	each		
27f)	200000043263	Centurion Transition kerbs (900mm) Item 3, Right:	30	each		
27g)	200000043264	Centurion Transition kerbs (900mm) Item 4, Left:	30	each		
27h)	200000043265	Centurion Transition kerbs (900mm) Item 4, Right:	30	each		
	Series 8: Total price	exc vat for Items 27a) – 27h) transfe	er to summa	ary	

ITEM	Material Number	REQUIREMENTS	QUANTITY	UNIT	UNIT PRICE DELIVERED (EXCL VAT)	PRICED (UNIT QUANTITY (EXCL VAT	•	RED X
	200000043266	Median Barrier SANRAL (1000mm highx3.58m long) F-Shape	20	each				
	Series 9: Total price E	Excl vat for Item 28 tr	ansfer to sumi	mary				

SUMMARY OF PRICING SCHEDULE

NO	SERIES	TOTAL PER SERIES (EXCL VAT)
1	Series 1: Total price (excluding vat) for Items 1-6	
2	Series 2: Total price (excluding vat) for Items 7-12	
3	Series 3: Total price (excluding vat) for Items 13-17	
4	Series 4: Total price (excluding vat) for Items 18-21	
5	Series 5: Total price (excluding vat) for Item 22 (a) & (b)	
6	Series 6: Total price (excluding vat) for Items 23-25(a) & (b)	
7	Series 7: Total price (excluding vat) for Items 26a) – 26g)	
8	Series 8: Total price (excluding vat) for Items 27a) – 27h)	
9	Series 9: Total price for Item 28	
TOTA	L BID PRIC (SERIES 1-9)	
EXCL	UDING VAT	
VAT 1	5%	
GRAN	ID TOTAL (INCLUSIVE OF VAT)	

ITEMS GROUPED TOGETHER IN SERIES, COMPLETE PRICES FOR ALL ITEMS IN A SERIES
TOTAL PRICE (VAT EXCLUSIVE) (ALL SERIES 1 TO 9) IN WORDS:
TOTAL PRICE (VAT INCLUSIVE) (ALL SERIES 1 TO 9) IN WORDS:

PRICING INSTRUCTIONS:

- All items on the pricing schedule, where detailed specifications apply, are listed.
- All fields of the price schedule must be completed for the tender to be considered.
- Tenderers must furnish unit prices for the listed products only.
- Prices of all Items must include delivery and offloading to Belle Ombre Roads Depot, Bosman Street Extension, Pretoria.
- The quantities provided in the pricing schedule are estimates for evaluation purposes only.

7. MARKET ANALYSIS

The city of Tshwane reserves the right to conduct market analysis. Should the city exercise this option, where a tenderer offers a price that is deemed not to be viable to supply goods or services as required, written confirmation will be made with the tenderer if they will be able to deliver on the price, if a tenderer confirm that they cannot, the tenderer will be disqualified on the basis of being non-responsive. If they confirm that they can deliver, a tight contract to mitigate the risk of non-performance will be entered into with the service provider. Further action on failures by the supplier to deliver will be handled in terms of the contract including performance warnings and listing on the database of restricted suppliers.

The city further reserves the right to negotiate a market related price with a tenderer scoring the highest points. If the tenderer does not agree to a market-related price, the city reserves the right to negotiate a market-related price with the tenderer scoring the second highest points, if the tenderer scoring the second highest points does not agree to a market-related price, negotiate a market-related price with the tenderer scoring the third highest points. If a market-related price is not agreed, the city reserves the right to cancel the tender.

8. SERVICE LEVEL AGREEMENTS

The successful bidders must enter into a Service Level Agreement with the Municipality upon appointment for this tender.

PART A INVITATION TO BID

YOU ARE HEREBY INVITED	тов	ID FOR REQUIR	REMENTS OF THE	E CIT	Y OF TSHWA	NE MUNICIPAI	LITY
BID NUMBER:	RO	OC 10 2024/25	CLOSING DATE		6 February 025	CLOSING TIME:	10:00am
DESCRIPTION TENDER FOR THE SUPPLY, DELIVERY AND OFF-LOADING PRECAST CONCRETE UNITS AND PAVING BLOCKS, AS WHEN REQUIRED: 3 YEAR PERIOD							
THE SUCCESSFUL BIDDER	WILL	BE REQUIRED	TO FILL IN AND	SIGN	A WRITTEN	CONTRACT FO	ORM (MBD7).
BID RESPONSE DOCUMENTS MAY BE DEPOSITED IN THE BID BOX SITUATED AT (STREET ADDRESS)							
Tshwane House							
Supply Chain Management							
320 Madiba Street							
Pretoria CBD							
0001							
SUPPLIER INFORMATION							
NAME OF BIDDER							
POSTAL ADDRESS							
STREET ADDRESS							
TELEPHONE NUMBER		CODE			NUMBER		
CELLPHONE NUMBER							
FACSIMILE NUMBER		CODE			NUMBER		
E-MAIL ADDRESS							
VAT REGISTRATION NUMB	ER						
TAX COMPLIANCE STATUS	3	TCS PIN:		OR	CSD No:		
B-BBEE STATUS LEVEL VERIFICATION CERTIFICATION	Yes		B-BBEE STATUS Yes				
[TICK APPLICABLE BOX] ☐ No AFFIDAVIT ☐ No							
[A B-BBEE STATUS LEVEL SUBMITTED IN ORDER TO						EMES & QSE	s) MUST BE
ARE YOU THE ACCREDITED REPRESENTATIVE IN SOUTH AFRICA FOR THE GOODS /SERVICES /WORKS OFFERED?	s ES ENCLOSE PF	□No ROOF]	F E S T //	ARE YOU A FOREIGN BASED SUPPLIER FOI THE GOODS SERVICES WORKS DFFERED?	☐Yes ☐N R [IF YES, AI PART B:3]	NSWER	

TOTAL NUMBER OF ITEMS OFFERED		TOTAL BID PRICE	R	
SIGNATURE OF BIDDER		DATE		
CAPACITY UNDER WHICH THIS BID IS BIGNED				
BIDDING PROCEDURE EN	IQUIRIES MAY BE DIRECTED TO:	TECHNICAL INFORM	ATION MAY BE DIRECTED	
DEPARTMENT	Supply Chain Management	DEPARTMENT	Regional Operations and Coordination	
ONTACT PERSON	Relebogile Malatswane	CONTACT PERSON	Abe Komote	
ELEPHONE NUMBER	012 358 2735	TELEPHONE NUMBER	012 358 0612	
MAIL ADDRESS	RelebogileM@tshwane.gov.za	EMAIL ADDRESS	abek@tshwane.gov.za	
1. BID SUBMISSION		IS FOR BIDDING		
	ELIVERED BY THE STIPULATED TI		ADDRESS. LATE BIDS WIL	
1.1 BIDS MUST BE D NOT BE ACCEPT	ELIVERED BY THE STIPULATED TI ED FOR CONSIDERATION.	ME TO THE CORRECT /		
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST	ELIVERED BY THE STIPULATED TI	ME TO THE CORRECT /		
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST I ONLINE 1.3 THIS BID IS SUBJ	ELIVERED BY THE STIPULATED TI ED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PRO	ME TO THE CORRECT / FORMS PROVIDED-(NO	OT TO BE RE-TYPED) OR AMEWORK ACT AND THE	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST I ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F	ELIVERED BY THE STIPULATED TI ED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20	ME TO THE CORRECT / FORMS PROVIDED-(NO CUREMENT POLICY FR 122, THE GENERAL CON	OT TO BE RE-TYPED) OR AMEWORK ACT AND THE IDITIONS OF CONTRACT	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST I ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F	ELIVERED BY THE STIPULATED TI ED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PLICABLE, ANY OTHER SPECIAL O	ME TO THE CORRECT / FORMS PROVIDED-(NO CUREMENT POLICY FR 122, THE GENERAL CON	OT TO BE RE-TYPED) OR AMEWORK ACT AND THE IDITIONS OF CONTRACT	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST I ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F (GCC) AND, IF AF 2. TAX COMPLIANCE	ELIVERED BY THE STIPULATED TI ED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PLICABLE, ANY OTHER SPECIAL O	ME TO THE CORRECT A FORMS PROVIDED—(NO CUREMENT POLICY FR 122, THE GENERAL CON CONDITIONS OF CONTE	OT TO BE RE-TYPED) OR AMEWORK ACT AND THE IDITIONS OF CONTRACT	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST BE D ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F (GCC) AND, IF AF 2. TAX COMPLIANCE 2.1 BIDDERS MUST BE DERS ARE RE	ELIVERED BY THE STIPULATED TI ED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PPLICABLE, ANY OTHER SPECIAL OFFICIAL	ME TO THE CORRECT A FORMS PROVIDED—(NO CUREMENT POLICY FR 1022, THE GENERAL CON CONDITIONS OF CONTE	OT TO BE RE-TYPED) OR AMEWORK ACT AND THE IDITIONS OF CONTRACT RACT. CATION NUMBER (PIN)	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST I ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F (GCC) AND, IF AF 2. TAX COMPLIANCE 2.1 BIDDERS MUST E 1.2 BIDDERS ARE RE 1.2 BIDDERS ARE RE 1.2 BIDDERS ARE RE 1.2 BIDDERS ARE RE 1.2 SUED BY SARS 1.3 STATUS. 2.3 APPLICATION FO VIA E-FILING. IN COMP	ELIVERED BY THE STIPULATED TIED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PLICABLE, ANY OTHER SPECIAL OFFICIAL	ME TO THE CORRECT A FORMS PROVIDED—(NO CUREMENT POLICY FR 1022, THE GENERAL CON CONDITIONS OF CONTE R TAX OBLIGATIONS. JE PERSONAL IDENTIFI TE TO VIEW THE TAXPA (TCS) CERTIFICATE OF TAXPAYERS WILL NEED	OT TO BE RE-TYPED) OR AMEWORK ACT AND THE IDITIONS OF CONTRACT RACT. CATION NUMBER (PIN) AYER'S PROFILE AND TAX R PIN MAY ALSO BE MADE	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST I ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F (GCC) AND, IF AF 2. TAX COMPLIANCE 2.1 BIDDERS MUST E 1.2 BIDDERS ARE RE 1SSUED BY SARS STATUS. 2.3 APPLICATION FO VIA E-FILING. IN C SARS AS E-FILER	ELIVERED BY THE STIPULATED TILED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PLICABLE, ANY OTHER SPECIAL OF SPECIAL OF SUBMITS ENSURE COMPLIANCE WITH THEIR EQUIRED TO SUBMIT THEIR UNIQUE TO ENABLE THE ORGAN OF STATIST OR THE TAX COMPLIANCE STATUS ORDER TO USE THIS PROVISION,	ME TO THE CORRECT A FORMS PROVIDED—(NO CUREMENT POLICY FR 1022, THE GENERAL CON CONDITIONS OF CONTE R TAX OBLIGATIONS. JE PERSONAL IDENTIFI TE TO VIEW THE TAXPA (TCS) CERTIFICATE OF TAXPAYERS WILL NEED C.SARS.GOV.ZA.	AMEWORK ACT AND THE IDITIONS OF CONTRACT RACT. CATION NUMBER (PIN) AYER'S PROFILE AND TAXE PIN MAY ALSO BE MADED TO REGISTER WITH	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST II ONLINE 1.3 THIS BID IS SUBJ PREFERENTIAL F (GCC) AND, IF AF 2. TAX COMPLIANCE 2.1 BIDDERS MUST E 1.2 BIDDERS ARE RE 1SSUED BY SARS STATUS. 2.3 APPLICATION FO VIA E-FILING. IN O SARS AS E-FILEF 2.4 FOREIGN SUPPL 2.5 BIDDERS MAY AL	ELIVERED BY THE STIPULATED THE DED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PLICABLE, ANY OTHER SPECIAL OF STATES OF THE TAX COMPLIANCE WITH THEIR STOEMARD TO USE THIS PROVISION, 25 THROUGH THE WEBSITE WWW. JERS MUST COMPLETE THE PRE-ALSO SUBMIT A PRINTED TCS CERT	ME TO THE CORRECT A FORMS PROVIDED—(NO CUREMENT POLICY FR 1022, THE GENERAL CON CONDITIONS OF CONTE R TAX OBLIGATIONS. JE PERSONAL IDENTIFI TE TO VIEW THE TAXPA (TCS) CERTIFICATE OF TAXPAYERS WILL NEED SARS.GOV.ZA. AWARD QUESTIONNAIR TIFICATE TOGETHER W	AMEWORK ACT AND THE IDITIONS OF CONTRACT RACT. CATION NUMBER (PIN) AYER'S PROFILE AND TAX R PIN MAY ALSO BE MADED TO REGISTER WITH SE IN PART B:3. ITH THE BID.	
1.1 BIDS MUST BE D NOT BE ACCEPT 1.2 ALL BIDS MUST II ONLINE 1.3 THIS BID IS SUBJECTED IN THE SUBJECT II	ELIVERED BY THE STIPULATED THE DED FOR CONSIDERATION. BE SUBMITTED ON THE OFFICIAL ECT TO THE PREFERENTIAL PROPROCUREMENT REGULATIONS, 20 PLICABLE, ANY OTHER SPECIAL OF SPECIAL OF STATES OF STAT	ME TO THE CORRECT A FORMS PROVIDED—(NO CUREMENT POLICY FR 1022, THE GENERAL CON CONDITIONS OF CONTE R TAX OBLIGATIONS. JE PERSONAL IDENTIFI TE TO VIEW THE TAXPA (TCS) CERTIFICATE OF TAXPAYERS WILL NEED SARS.GOV.ZA. AWARD QUESTIONNAIR TIFICATE TOGETHER W SUB-CONTRACTORS AR	AMEWORK ACT AND THE IDITIONS OF CONTRACT RACT. CATION NUMBER (PIN) AYER'S PROFILE AND TAX R PIN MAY ALSO BE MADE TO REGISTER WITH SE IN PART B:3. ITH THE BID.	

WHERE NO TCS IS AVAILABLE BUT THE BIDDER IS REGISTERED ON THE CENTRAL SUPPLIER

IS THE ENTITY A RESIDENT OF THE REPUBLIC OF SOUTH AFRICA (RSA)? YES \square NO \square

DOES THE ENTITY HAVE A PERMANENT ESTABLISHMENT IN THE RSA?

DOES THE ENTITY HAVE ANY SOURCE OF INCOME IN THE RSA?

IS THE ENTITY LIABLE IN THE RSA FOR ANY FORM OF TAXATION?

YES □ NO □

YES □ NO □

YES □ NO □

YES □ NO □

DATABASE (CSD), A CSD NUMBER MUST BE PROVIDED.

DOES THE ENTITY HAVE A BRANCH IN THE RSA?

3. QUESTIONNAIRE TO BIDDING FOREIGN SUPPLIERS

2.7

3.1

3.2

3.3

3.4

3.5

IF THE ANSWER IS "NO" TO ALL OF THE ABOVE, THEN IT IS NOT A REQUIREMENT TO REGISTER FOR A TAX COMPLIANCE STATUS SYSTEM PIN CODE FROM THE SOUTH AFRICAN REVENUE SERVICE (SARS) AND IF NOT REGISTER AS PER 2.3 ABOVE.

NB: FAILURE TO PROVIDE ANY OF THE ABOVE BID INVALID. NO BIDS WILL BE CONSIDERED FROM THE STATE.	
SIGNATURE OF BIDDER:	
CAPACITY UNDER WHICH THIS BID IS SIGNED:	
DATE:	

PRICING SCHEDULE: FIRM PRICES (PURCHASES)

NOTE:

destination.

ONLY FIRM PRICES WILL BE ACCEPTED. NON-FIRM PRICES (INCLUDING PRICES SUBJECT TO RATES OF EXCHANGE VARIATIONS) WILL NOT BE CONSIDERED

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Name	of Bidder		Bid Number
Closin	g Time		Closing Date
OFFE	R TO BE VALID FOR DA	YS FROM TH	E CLOSING DATE OF BID.
ITEM NO.	QUANTITY DE	ESCRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
_	Required by:		
-	At:		
-8	Brand and Model		
À	Country of Origin		
μ(Does the offer comply with the s	specification(s)? *YES/NO
- <	If not to specification, indicate de	eviation(s)	
-	Period required for delivery		Delivery: Firm/Not firm
	Delivery basis		

Note: All delivery costs must be included in the bid price, for delivery at the prescribed

- ** "all applicable taxes" includes value- added tax, pay as you earn, income tax, unemployment insurance fund contributions and skills development levies.
- * Delete if not applicable

PRICING SCHEDULE: NON-FIRM PRICES (PURCHASES)

NOTE: PRICE ADJUSTMENTS WILL BE ALLOWED AT THE PERIODS AND TIMES SPECIFIED IN THE BIDDING DOCUMENTS.

IN CASES WHERE DIFFERENT DELIVERY POINTS INFLUENCE THE PRICING, A SEPARATE PRICING SCHEDULE MUST BE SUBMITTED FOR EACH DELIVERY POINT

Nam	e of Bidder		Bid number
Closi	ing Time		Closing Date
OFFE	R TO BE VALID FOR 90 DAYS F	FROM THE CL	OSING DATE OF BID.
ITEM NO.	QUANTITY DES	CRIPTION	BID PRICE IN RSA CURRENCY **(ALL APPLICABLE TAXES INCLUDED)
-	Required by:		
-	At:		
-	Brand and model		
-	Country of origin		
-	Does the offer comply with the s	pecification(s)	? *YES/NO
-	If not to specification, indicate de	eviation(s)	
-	Period required for delivery		
-	Delivery:	*Firm/Not firm	m
**	"all applicable taxes" includes vunemployment insurance fund of		

Delete if not applicable

PRICE ADJUSTMENTS

A. NON-FIRM PRICES SUBJECT TO ESCALATION

- IN CASES OF PERIOD CONTRACTS, NON FIRM PRICES WILL BE ADJUSTED (LOADED) WITH THE ASSESSED CONTRACT PRICE ADJUSTMENTS IMPLICIT IN NON FIRM PRICES WHEN CALCULATING THE COMPARATIVE PRICES
- 2. IN THIS CATEGORY PRICE ESCALATIONS WILL ONLY BE CONSIDERED IN TERMS OF THE FOLLOWING FORMULA:

$$Pa = (1 - V)Pt \left(D1 \frac{R1t}{R1o} + D2 \frac{R2t}{R2o} + D3 \frac{R3t}{R3o} + D4 \frac{R4t}{R4o} \right) + VPt$$

Where	e:							
Pa		=	The new escalated price to be calculated.					
(1-V) I	Pt	=	85% of the original bid price. Note that Pt must always be th original bid price and not an escalated price.					
D1, D	D1, D2 = Each factor of the bid price eg. labour, transport, clothing, footwear, etc. The total of the various factors D1,D2etc. r add up to 100%.							
R1t, R		=	Index figure obtained from new index (depends on the number of factors used).					
R1o, F	R2o	=	Index figure at time of bidding.					
VPt		=	15% of the original bid price. This portion of the bid price remains firm i.e. it is not subject to any price escalations.					
3.	The fo	ollowing	g index/indices must be used to calculate your bid price:					
	Index	Da	ated Index Dated Index Dated					
	Index	Da	ated Index Dated Index Dated					
4.			BREAKDOWN OF YOUR PRICE IN TERMS OF ABOVE- FORMULA. THE TOTAL OF THE VARIOUS FACTORS MUST					

FACTOR (D1, D2 etc. eg. Labour, transport etc.)	PERCENTAGE OF BID PRICE

ADD UP TO 100%.

B. PRICES SUBJECT TO RATE OF EXCHANGE VARIATIONS

1. Please furnish full particulars of your financial institution, state the currencies used in the conversion of the prices of the items to South African currency, which portion of the price is subject to rate of exchange variations and the amounts remitted abroad.

PARTICULARS OF FINANCIAL INSTITUTION	ITEM NO	PRICE	CURRENCY	RATE	PORTION OF PRICE SUBJECT TO ROE	AMOUNT IN FOREIGN CURRENCY REMITTED ABROAD
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=		
				ZAR=	_	
				ZAR=	_	

2. Adjustments for rate of exchange variations during the contract period will be calculated by using the average monthly exchange rates as issued by your commercial bank for the periods indicated hereunder: (Proof from bank required)

AVERAGE MONTHLY EXCHANGE RATES FOR THE PERIOD:	DATE DOCUMENTATION MUST BE SUBMITTED TO THIS OFFICE	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE	DATE UNTIL WHICH NEW CALCULATED PRICE WILL BE EFFECTIVE
11[



ADJUSTMENT PERIODS	DATE FROM WHICH NEW CALCULATED PRICES WILL BECOME EFFECTIVE
1 st Adjustment	After 12 calendar months
2 nd Adjustment	After 24 calendar months

NB: Unless prior approval has been obtained from Supply Chain Management, no adjustment in contract prices will be made

DECLARATION OF INTEREST

- 1. No bid will be accepted from persons in the service of the state¹.
- 2. Any person, having a kinship with persons in the service of the state, including a blood relationship, may make an offer or offers in terms of this invitation to bid. In view of possible allegations of favouritism, should the resulting bid, or part thereof, be awarded to persons connected with or related to persons in service of the state, it is required that the bidder or their authorised representative declare their position in relation to the evaluating/adjudicating authority.

In order to give effect to the above, the following questionnaire must be

	completed and submitted with the bid.	
3.1	Full Name of bidder or his or her representative:	
3.2	Identity Number:	
3.3	Position occupied in the Company (director, trustee, hareholder²)	
3.4	Company Registration Number:	
3.5	Tax Reference Number:	
3.6	VAT Registration Number:	
3.7	The names of all directors / trustees / shareholders members, their individentity numbers and state employee numbers must be indicated in parag 4 below.	
3.8	Are you presently in the service of the state? YES / N	10
3.8.1	If yes, furnish particulars	

(a) a member of -

3.

- (i) any municipal council;
- (ii) any provincial legislature; or
- (iii) the national Assembly or the national Council of provinces;
- (b) a member of the board of directors of any municipal entity;
- (c) an official of any municipality or municipal entity;
- (d) an employee of any national or provincial department, national or provincial public entity or constitutional institution within the meaning of the Public Finance Management Act, 1999 (Act No.1 of 1999);
- (e) a member of the accounting authority of any national or provincial public entity; or
- (f) an employee of Parliament or a provincial legislature.

¹ MSCM Regulations: "in the service of the state" means to be -

² Shareholder" means a person who owns shares in the company and is actively involved in the management of the company or business and exercises control over the company.

3.9	Have you been in the service of the state for the past twelve months? ${\bf YES/NO}$
3.9.1	If yes, furnish particulars
3.10	Do you have any relationship (family, friend, other) with persons in the service of the state and who may be involved with the evaluation and or adjudication of this bid? YES / NO
3.10.1	If yes, furnish particulars
3.11	Are you, aware of any relationship (family, friend, other) between any other bidder and any persons in the service of the state who may be involved with the evaluation and or adjudication of this bid? YES / NO
3.11.1	If yes, furnish particulars.
3.12	Are any of the company's directors, trustees, managers, principle shareholders or stakeholders in service of the state? YES / NO
3.12.1	If yes, furnish particulars.
3.13	Are any spouse, child or parent of the company's directors trustees, managers, principle shareholders or stakeholders in service of the state? YES / NO
3.13.1	If yes, furnish particulars.
3.14	Do you or any of the directors, trustees, managers, principle shareholders, or stakeholders of this company have any interest in any other related companies or business whether or not they are bidding for this contract. YES / NO
3.14.1	If yes, furnish particulars:

/ Lull detaile et directore / tructore / mambare / charabold/	
 Full details of directors / trustees / members / shareholde 	rs

Full Name	Identity Number	State Employee Number
Signature	Dat	e
Capacity	Nar	ne of Bidder



MBD 6.1

PREFERENCE POINTS CLAIM FORM IN TERMS OF THE PREFERENTIAL PROCUREMENT REGULATIONS 2022

This preference form must form part of all tenders invited. It contains general information and serves as a claim form for preference points for specific goals.

NB: BEFORE COMPLETING THIS FORM, TENDERERS MUST STUDY THE GENERAL CONDITIONS, DEFINITIONS AND DIRECTIVES APPLICABLE IN RESPECT OF THE TENDER AND PREFERENTIAL PROCUREMENT REGULATIONS, 2022

1. GENERAL CONDITIONS

- 1.1 The following preference point systems are applicable to invitations to tender:
 - the 80/20 system for requirements with a Rand value of up to R50 000 000 (all applicable taxes included); and
 - the 90/10 system for requirements with a Rand value above R50 000 000 (all applicable taxes included).

1.2 To be completed by the organ of state

(delete whichever is not applicable for this tender).

- a) The applicable preference point system for this tender is the 80/20 preference point system.
- 1.3 Points for this tender (even in the case of a tender for income-generating contracts) shall be awarded for:
 - (a) Price; and
 - (b) Specific Goals.

1.4 To be completed by the organ of state:

The maximum points for this tender are allocated as follows:

	Points
PRICE	80
SPECIFIC GOALS	20
TOTAL POINTS FOR PRICE AND SPECIFIC GOALS	100

1.5 Failure on the part of a tenderer to submit proof or documentation required in terms of this tender to claim points for specific goals with the tender, will be interpreted to mean that

preference points for specific goals are not claimed.

1.6 The organ of state reserves the right to require of a tenderer, either before a tender is adjudicated or at any time subsequently, to substantiate any claim in regard to preferences, in any manner required by the organ of state.

2. **DEFINITIONS**

- (a) "tender" means a written offer in the form determined by an organ of state in response to an invitation to provide goods or services through price quotations, competitive tendering process or any other method envisaged in legislation;
- (b) "price" means an amount of money tendered for goods or services, and includes all applicable taxes less all unconditional discounts;
- (c) "rand value" means the total estimated value of a contract in Rand, calculated at the time of bid invitation, and includes all applicable taxes;
- (d) "tender for income-generating contracts" means a written offer in the form determined by an organ of state in response to an invitation for the origination of income-generating contracts through any method envisaged in legislation that will result in a legal agreement between the organ of state and a third party that produces revenue for the organ of state, and includes, but is not limited to, leasing and disposal of assets and concession contracts, excluding direct sales and disposal of assets through public auctions; and
- (e) "the Act" means the Preferential Procurement Policy Framework Act, 2000 (Act No. 5 of 2000).

3. FORMULAE FOR PROCUREMENT OF GOODS AND SERVICES

3.1. POINTS AWARDED FOR PRICE

3.1.1 THE 80/20 OR 90/10 PREFERENCE POINT SYSTEMS

A maximum of 80 or 90 points is allocated for price on the following basis:

80/20 or 90/10

$$Ps = 80\left(1 - \frac{Pt - Pmin}{Pmin}\right)$$
 or $Ps = 90\left(1 - \frac{Pt - Pmin}{Pmin}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmin = Price of lowest acceptable tender

3.2. FORMULAE FOR DISPOSAL OR LEASING OF STATE ASSETS AND INCOME GENERATING PROCUREMENT

3.2.1. POINTS AWARDED FOR PRICE

A maximum of 80 or 90 points is allocated for price on the following basis:

$$80/20$$
 or $90/10$ $Ps = 80\left(1 + \frac{Pt - Pmax}{Pmax}\right)$ or $Ps = 90\left(1 + \frac{Pt - Pmax}{Pmax}\right)$

Where

Ps = Points scored for price of tender under consideration

Pt = Price of tender under consideration

Pmax = Price of highest acceptable tender

4. POINTS AWARDED FOR SPECIFIC GOALS

- 4.1. In terms of Regulation 4(2); 5(2); 6(2) and 7(2) of the Preferential Procurement Regulations, preference points must be awarded for specific goals stated in the tender. For the purposes of this tender the tenderer will be allocated points based on the goals stated in table 1 below as may be supported by proof/ documentation stated in the conditions of this tender:
- 4.2. In cases where organs of state intend to use Regulation 3(2) of the Regulations, which states that, if it is unclear whether the 80/20 or 90/10 preference point system applies, an organ of state must, in the tender documents, stipulate in the case of—
 - (a) an invitation for tender for income-generating contracts, that either the 80/20 or 90/10 preference point system will apply and that the highest acceptable tender will be used to determine the applicable preference point system; or
 - (b) any other invitation for tender, that either the 80/20 or 90/10 preference point system will apply and that the lowest acceptable tender will be used to determine the applicable preference point system.

then the organ of state must indicate the points allocated for specific goals for both the 90/10 and 80/20 preference point system.

Table 1: Specific goals for the tender and points claimed are indicated per the table below.

(Note to organs of state: Where either the 90/10 or 80/20 preference point system is applicable, corresponding points must also be indicated as such.

Note to tenderers: The tenderer must indicate how they claim points for each preference point system.)

Specific goals	80/20 preference point system	Number of points claimed (80/20 system)
		(To be completed by the tenderer)
BB-BEE score of companies		
Level 1	8 Points	
Level 2	7 Points	
 Level 3 	6 Points	
Level 4	 5 Points 	
Level 5	 4 Points 	
Level 6	3 Points	
Level 7	2 Points	
Level 8	1 Point	

Non-compliant	0 Points	
EME and/ or QSE At least 51% of Women-owned companies	2 Points 2 Points	
At least 51% owned companies by People with disability	2 Points	
At least 51% owned companies by Youth	2 Point	
Local Economic Participation	4 Points 2 Points 1 Point	

N.B For points to be allocated as per above the tenderers will be required to submit proof of documentation as evidence for claims made. Any tenderer that does not submit evidence as stated in the bid document to claim applicable points will be allocated zero point

DECLARATION WITH REGARD TO COMPANY/FIRM

4.3.	Name of company/firm
4.4.	Company registration number:
4.5.	TYPE OF COMPANY/ FIRM
	 □ Partnership/Joint Venture / Consortium □ One-person business/sole propriety □ Close corporation □ Public Company □ Personal Liability Company □ (Pty) Limited □ Non-Profit Company □ State Owned Company [TICK APPLICABLE BOX]

- 4.6. I, the undersigned, who is duly authorised to do so on behalf of the company/firm, certify that the points claimed, based on the specific goals as advised in the tender, qualifies the company/ firm for the preference(s) shown and I acknowledge that:
 - i) The information furnished is true and correct;
 - ii) The preference points claimed are in accordance with the General Conditions as indicated in paragraph 1 of this form;
 - iii) In the event of a contract being awarded as a result of points claimed as shown in paragraphs 1.4 and 4.2, the contractor may be required to furnish documentary proof to the satisfaction of the organ of state that the claims are correct;
 - iv) If the specific goals have been claimed or obtained on a fraudulent basis or any of the conditions of contract have not been fulfilled, the organ of state may, in addition to any other remedy it may have –

- (a) disqualify the person from the tendering process;
- (b) recover costs, losses or damages it has incurred or suffered as a result of that person's conduct;
- (c) cancel the contract and claim any damages which it has suffered as a result of having to make less favourable arrangements due to such cancellation;
- (d) recommend that the tenderer or contractor, its shareholders and directors, or only the shareholders and directors who acted on a fraudulent basis, be restricted from obtaining business from any organ of state for a period not exceeding 10 years, after the audi alteram partem (hear the other side) rule has been applied; and
- (e) forward the matter for criminal prosecution, if deemed necessary.

	SIGNATURE(S) OF TENDERER(S)
SURNAME AND NAME:	
DATE:	
ADDRESS:	

MBD 7.1

CONTRACT FORM: PURCHASE OF GOODS/WORKS

THIS FORM MUST BE FILLED IN DUPLICATE BY BOTH THE SUCCESSFUL BIDDER (PART 1) AND THE PURCHASER (PART 2). BOTH FORMS MUST BE SIGNED IN THE ORIGINAL SO THAT THE SUCCESSFUL BIDDER AND THE PURCHASER WOULD BE IN POSSESSION OF ORIGINALLY SIGNED CONTRACTS FOR THEIR RESPECTIVE RECORDS.

PART 1 (TO BE FILLED IN BY THE BIDDER)

- I hereby undertake to supply all or any of the goods and/or works described in the attached bidding documents to CITY OF TSHWANE MUNICIPALITY in accordance with the requirements and specifications stipulated in bid number ROC 10 2024/25 at the price/s quoted. My offer/s remain binding upon me and open for acceptance by the purchaser during the validity period indicated and calculated from the closing time of bid.
- 2. The following documents shall be deemed to form and be read and construed as part of this agreement:
 - (i) Bidding documents, viz
 - Invitation to bid;
 - Tax clearance certificate:
 - Pricing schedule(s);
 - Technical Specification(s);
 - Preference claims for Broad Based Black Economic Empowerment Status Level of Contribution in terms of the Preferential Procurement Regulations 2011;
 - Declaration of interest;
 - Declaration of bidder's past SCM practices;
 - Certificate of Independent Bid Determination:
 - Special Conditions of Contract;
 - (ii) General Conditions of Contract; and
 - (iii) Other (specify)
- 3. I confirm that I have satisfied myself as to the correctness and validity of my bid; that the price(s) and rate(s) quoted cover all the goods and/or works specified in the bidding documents; that the price(s) and rate(s) cover all my obligations and I accept that any mistakes regarding price(s) and rate(s) and calculations will be at my own risk.
- 4. I accept full responsibility for the proper execution and fulfilment of all obligations and conditions devolving on me under this agreement as the principal liable for the due fulfillment of this contract.
- 5. I declare that I have no participation in any collusive practices with any bidder or any other person regarding this or any other bid.
- 6. I confirm that I am duly authorised to sign this contract.

	WITNE	SSES
NAME (PRINT)		
CAPACITY	 1.	
SIGNATURE		
NAME OF FIRM	 2.	
DATE		
	DATE:	

CONTRACT FORM: PURCHASE OF GOODS/WORKS PART 2 (TO BE FILLED IN BY THE PURCHASER)

1						in my capacit our bid under refe	
	num	ber ated hereunder	dated		for th	ne supply of goods/\	vorks
2		fficial order indi		•		, ,	
			J	•		· ·	
3	the t		tions of the	contract	, within 30 (th	vered in accordance irty) days after rece	
	ITEM NO.	PRICE (ALL APPLICABLE TAXES INCLUDED)	BRAND		DELIVERY PERIOD	B-BBEE STATUS L OF CONTRIBUTION	
4	. I con	firm that I am d	uly authoriz	zed to sig	n this contrac	t.	
S	SIGNED A	Г			ON		
١	NAME (PR	INT)					
S	SIGNATUR	!E					
C	OFFICIAL S	STAMP					
				WIT	TNESSES]
				1			
				2			
				DA ⁻	TE:		
L							_

DECLARATION OF BIDDER'S PAST SUPPLY CHAIN MANAGEMENT PRACTICES

- 1 This Municipal Bidding Document must form part of all bids invited.
- It serves as a declaration to be used by municipalities and municipal entities in ensuring that when goods and services are being procured, all reasonable steps are taken to combat the abuse of the supply chain management system.
- The bid of any bidder may be rejected if that bidder, or any of its directors have:
 - a. abused the municipality's / municipal entity's supply chain management system or committed any improper conduct in relation to such system;
 - b. been convicted for fraud or corruption during the past five years;
 - c. willfully neglected, reneged on or failed to comply with any government, municipal or other public sector contract during the past five years; or
 - d. been listed in the Register for Tender Defaulters in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004).
- In order to give effect to the above, the following questionnaire must be completed and submitted with the bid.

Item	Question	Yes	No
4.1	Is the bidder or any of its directors listed on the National Treasury's Database	Yes	No
	of Restricted Suppliers as companies or persons prohibited from doing business with the public sector?		
	(Companies or persons who are listed on this Database were informed in writing of this restriction by the Accounting Officer/Authority of the institution that imposed the restriction after the <i>audi alteram partem</i> rule was applied).		
	The Database of Restricted Suppliers now resides on the National Treasury's website(www.treasury.gov.za) and can be accessed by clicking on its link at the bottom of the home page.		
4.1.1	If so, furnish particulars:		
4.2	Is the bidder or any of its directors listed on the Register for Tender Defaulters	Yes	No
	in terms of section 29 of the Prevention and Combating of Corrupt Activities Act (No 12 of 2004)?		
	The Register for Tender Defaulters can be accessed on the National Treasury's website (www.treasury.gov.za) by clicking on its link at the bottom of the home page.		

4.2.1	If so, furnish particulars:		
4.3	Was the bidder or any of its directors convicted by a court of law (including a court of law outside the Republic of South Africa) for fraud or corruption during the past five years?	Yes	No
4.3.1	If so, furnish particulars:		
4.4	Does the bidder or any of its directors owe any municipal rates and taxes or municipal charges to the municipality / municipal entity, or to any other municipality / municipal entity, that is in arrears for more than three months?	Yes	No
4.4.1	If so, furnish particulars:		
4.5	Was any contract between the bidder and the municipality / municipal entity or any other organ of state terminated during the past five years on account of failure to perform on or comply with the contract?	Yes	No
4.7.1	If so, furnish particulars:		
	CERTIFICATION		
ERTII	UNDERSIGNED (FULL NAME)FY THAT THE INFORMATION FURNISHED ON THIS DECLARATION OF THE CONTROL OF THE CONTR	ON FO	 R M
	EPT THAT, IN ADDITION TO CANCELLATION OF A CONTRACT BE TAKEN AGAINST ME SHOULD THIS DECLARATION PROVE.		
······································	Doto		
Signati	ure Date		

CERTIFICATE OF INDEPENDENT BID DETERMINATION

- 1 This Municipal Bidding Document (MBD) must form part of all bids¹ invited.
- Section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, prohibits an agreement between, or concerted practice by, firms, or a decision by an association of firms, if it is between parties in a horizontal relationship and if it involves collusive bidding (or bid rigging).² Collusive bidding is a *pe se* prohibition meaning that it cannot be justified under any grounds.
- Municipal Supply Regulation 38 (1) prescribes that a supply chain management policy must provide measures for the combating of abuse of the supply chain management system, and must enable the accounting officer, among others, to:
 - a. take all reasonable steps to prevent such abuse;
 - reject the bid of any bidder if that bidder or any of its directors has abused the supply chain management system of the municipality or municipal entity or has committed any improper conduct in relation to such system; and
 - c. cancel a contract awarded to a person if the person committed any corrupt or fraudulent act during the bidding process or the execution of the contract.
- This MBD serves as a certificate of declaration that would be used by institutions to ensure that, when bids are considered, reasonable steps are taken to prevent any form of bid-rigging.
- In order to give effect to the above, the attached Certificate of Bid Determination (MBD 9) must be completed and submitted with the bid:

¹ Includes price quotations, advertised competitive bids, limited bids and proposals.

² Bid rigging (or collusive bidding) occurs when businesses, that would otherwise be expected to compete, secretly conspire to raise prices or lower the quality of goods and / or services for purchasers who wish to acquire goods and / or services through a bidding process. Bid rigging is, therefore, an agreement between competitors not to compete.

CERTIFICATE OF INDEPENDENT BID DETERMINATION

I, the undersigned, in submitting the accompanying bid: ROC 10 2024/25

TENDER FOR THE SUPPLY, DELIVERY AND OFF-LOADING OF PRECAST CONCRETE UNITS AND PAVING BLOCKS, AS AND WHEN REQUIRED: 3 YEAR PERIOD

in response to the invitation for the bid made by:

CITY OF TSHWANE MUNICIPALITY

do hereby make the following statement	s that I certify to be true and complete in every
respect:	
I certify, on behalf of:	that:

(Name of Bidder)

- 1. I have read and I understand the contents of this Certificate;
- 2. I understand that the accompanying bid will be disqualified if this Certificate is found not to be true and complete in every respect;
- 3. I am authorized by the bidder to sign this Certificate, and to submit the accompanying bid, on behalf of the bidder;
- 4. Each person whose signature appears on the accompanying bid has been authorized by the bidder to determine the terms of, and to sign, the bid, on behalf of the bidder;
- 5. For the purposes of this Certificate and the accompanying bid, I understand that the word "competitor" shall include any individual or organization, other than the bidder, whether or not affiliated with the bidder, who:
 - (a) has been requested to submit a bid in response to this bid invitation;
 - (b) could potentially submit a bid in response to this bid invitation, based on their qualifications, abilities or experience; and
 - (c) provides the same goods and services as the bidder and/or is in the same line of business as the bidder
- 6. The bidder has arrived at the accompanying bid independently from, and without consultation, communication, agreement or arrangement with any competitor. However communication between partners in a joint venture or consortium³ will not be construed as collusive bidding.

³ Joint venture or consortium means an association of persons for the purpose of combining their expertise, property, capital, efforts, skill and knowledge in an activity for the execution of a contract.

7.	been	rticular, without limiting the generality of paragraphs 6 above, there has no consultation, communication, agreement or arrangement with any etitor regarding:	
	(a)	prices;	
	(b)	geographical area where product or service will be rendered (market allocation)	
	(c)	methods, factors or formulas used to calculate prices;	
	(d)	the intention or decision to submit or not to submit, a bid;	
	(e)	the submission of a bid which does not meet the specifications and conditions of the bid; or	
	(f)	bidding with the intention not to win the bid.	
8.	arran	dition, there have been no consultations, communications, agreements or gements with any competitor regarding the quality, quantity, specifications conditions or delivery particulars of the products or services to which this vitation relates.	
9.	The terms of the accompanying bid have not been, and will not be, disclosed be the bidder, directly or indirectly, to any competitor, prior to the date and time of the official bid opening or of the awarding of the contract.		
10.	to consusping possiin Comparts Prose from (10) y	aware that, in addition and without prejudice to any other remedy provided inbat any restrictive practices related to bids and contracts, bids that are cious will be reported to the Competition Commission for investigation and ble imposition of administrative penalties in terms of section 59 of the petition Act No 89 of 1998 and or may be reported to the National ecuting Authority (NPA) for criminal investigation and or may be restricted conducting business with the public sector for a period not exceeding tenders in terms of the Prevention and Combating of Corrupt Activities Act 2 of 2004 or any other applicable legislation.	
Signa	ture	Date	
- 3			

Name of Bidder

Position

SERVICE LEVEL AGREEMENT

Entered into between

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

(Hereinafter referred to as the "City")

Duly represented by:

In his capacity as: The City Manager

Duly authorised hereto

AND

Registration Number:	
(Hereinafter referred to as the "Service Pro	ovider")
Duly represented by:	
In his capacity as:	
Duly authorised hereto	

SERVICE LEVEL AGREEMENT

Entered into between

THE CITY OF TSHWANE METROPOLITAN MUNICIPALITY

a municipality as described in section 2 of the Local Government: Municipal Systems Act, 2000 and as contemplated in section 155 of the Constitution of the Republic of South Africa, 1996 as a category A municipality, or the Assignee, if applicable, herein represented by Mr. Johan Mettler in his capacity as the City Manager duly authorised thereto under and by virtue of a resolution passed on 26 January 2012, and who by his/her signature hereto warrants that he/she is properly authorised to sign this Agreement.

(Herein referred to as the "CITY")

AND			
Re	gistration Number		
	represented	by	
			, and who by his/her signature hereto y authorised to sign this Agreement
			(Herein referred to as the "SERVICE PROVIDER")

CONTENT

1	DEFINITIONS ERROR! BOOKMARK NOT DEFINED.
2	INTERPRETATION ERROR! BOOKMARK NOT DEFINED.
3	APPOINTMENT ERROR! BOOKMARK NOT DEFINED.
4	PURPOSE OF THE AGREEMENT ERROR! BOOKMARK NOT DEFINED.
5	RELATIONSHIP ERROR! BOOKMARK NOT DEFINED.
6	DURATION ERROR! BOOKMARK NOT DEFINED.
7	CONTACT PERSON ERROR! BOOKMARK NOT DEFINED.
8	SCOPE OF GENERAL SERVICES ERROR! BOOKMARK NOT DEFINED.
9	PRICE AND PAYMENT ERROR! BOOKMARK NOT DEFINED.
10	PRICE RESTRUCTURING ERROR! BOOKMARK NOT DEFINED.
11	SERVICE LEVELS ERROR! BOOKMARK NOT DEFINED.
12	WITHHOLDING OF PERFORMANCE ERROR! BOOKMARK NOT DEFINED.
13	PENALTY ERROR! BOOKMARK NOT DEFINED.
14	ACCESS ERROR! BOOKMARK NOT DEFINED.
	AMENDMENT OR CANCELLATION OF PURCHASE ORDER ERROR! BOOKMARK T DEFINED.
16	INSPECTION ERROR! BOOKMARK NOT DEFINED.
	SERVICE PROVIDER'S WARRANTIES AND INDEMNITIES ERROR! BOOKMARK T DEFINED.

18	SERVICE PROVIDER'S PERSONNEL ERROR! BOOKMARK NOT DEFINED.
19	STATUTORY AND EMPLOYMENT ISSUES ERROR! BOOKMARK NOT DEFINED.
20	SUB-CONTRACTING ERROR! BOOKMARK NOT DEFINED.
21	CONFIDENTIALITY ERROR! BOOKMARK NOT DEFINED.
22	INTELLECTUAL PROPERTY RIGHTS ERROR! BOOKMARK NOT DEFINED.
23	FORCE MAJEURE ERROR! BOOKMARK NOT DEFINED.
24	CESSION ERROR! BOOKMARK NOT DEFINED.
25	CHANGE OF CONTROL / CIRCUMSTANCE ERROR! BOOKMARK NOT DEFINED.
26	BREACH ERROR! BOOKMARK NOT DEFINED.
27	EARLY TERMINATION ERROR! BOOKMARK NOT DEFINED.
28	DISPUTES ERROR! BOOKMARK NOT DEFINED.
29	LAWS AND JURISDICTION ERROR! BOOKMARK NOT DEFINED.
30	NOTICES AND COMMUNICATIONS ERROR! BOOKMARK NOT DEFINED.
31	GENERAL AND MISCELLANEOUS ERROR! BOOKMARK NOT DEFINED.
32	EXECUTION ERROR! BOOKMARK NOT DEFINED.

RECORDAL:

WHEREAS the City requires the supply, delivery and off-loading of Precast Concrete Units at the service area various Roads and Stormwater depots or any construction site within the City of Tshwane

1.1 **AND WHEREAS** the City wishes to appoint the service provider:

AND WHEREAS the Service Provider wishes to provide such services;

AND WHEREAS the service provider has indicated that it has the necessary capacity and capabilities to provide the service;

NOW THEREFORE the Parties have agreed to enter into this Agreement, in terms of which the service provider shall supply, deliver and offload Precast Concrete Units to the City's various Roads and Stormwater depots or any construction site within the City of Tshwane in accordance with the terms and subject to the conditions of this Agreement:

DEFINITIONS

Unless otherwise expressly stated, or the context otherwise requires, the words and expressions listed below shall, when used in this Agreement, including this introduction, bear the meanings ascribed to them:

"Agreement" means this Service level Agreement and shall include any annexures and/or schedules and/or attachments and/or appendices and/or any addenda hereto or incorporated herein by reference, as amended from time to time;

"Business Day" means any day from Monday to Friday excluding Public Holidays as defined in the Public Holidays Act 36 of 1994 ("Public Holidays Act") as amended from time to time;

"Business Week" means five consecutive Business Days, excluding Public Holidays as defined in the Public Holidays Act;

"City" means the City of Tshwane Metropolitan Municipality, a metropolitan municipality established in terms of section 12 of the Local Government: Municipal Structures Act 117 of 1998;

"Contact Persons" means persons identified by the Parties as persons who are responsible for the execution of the Agreement and whose names are set out in clause 35 and who can be substituted in writing from time to time;

"Contract Price" shall mean the amount reflected as the contract price in clause Error! Reference source not found.;

"Contract Period" means three years

"Effective Date" means appointment date;

"Intellectual Property" means Patents, Designs, Know-How, Copyright and Trade Marks and all rights having equivalent or similar effect which may exist anywhere in the world, introduced and required by either Party to give effect to their obligations under this Agreement, owned in whole or in part by, or licensed to either Party prior to the Commencement Date or developed after the Commencement Date, and includes all further additions and improvements to the Intellectual Property, otherwise pursuant to this Agreement;

"Month" means a calendar month;

"Parties" means the City and the Service Provider and "Party" means either of them as the context requires;

"Services" means services to be provided by the Service Provider to the City as stated in clause 8 below and detailed in the terms of reference

"Service Provider" means appointed company

, a company duly incorporated in accordance with the company laws of the Republic of South Africa with company registration number:

[&]quot;Signature Date" means the date of signature of this Agreement by the Party signing last;

[&]quot;Subcontract" means any contract or agreement or proposed contract between the Service Provider and any third party whereby that third

party agrees to provide to the Service Provider the Services or any part thereof;

"Subcontractor" means the third party with whom the Service Provider enters into a Subcontract;

"Tax Invoice" means the document as required by section 20 of the Value Added Tax Act 89 of 1991, as amended from time to time; and

"VAT" means Value Added Tax as defined in terms of the Value Added Tax Act of 1991.

INTERPRETATION

Headings and sub-headings are inserted for information purposes only and shall not be used in the interpretation of this Agreement.

Unless the context clearly indicates a contrary intention, any word connoting:

Any singular shall be deemed to include a reference to the plural and vice versa;

Any one gender shall be deemed to include a reference to the other two genders; and

A natural person shall be deemed to include a reference to a legal or juristic person.

The expiry or termination of this Agreement shall not affect provisions of this Agreement which expressly provide that they will operate after any such expiry or termination of this Agreement. Provisions of necessity shall continue to have been effective after such expiry or termination of this Agreement, notwithstanding that the clauses themselves do not expressly provide for this.

The rule of interpretation that a written agreement shall be interpreted against the party responsible for the drafting or preparation of that Agreement shall not apply.

Where figures are referred to in numerals and in words and there is any conflict between the two, the words shall prevail.

Any reference to any legislation is a reference to such legislation as at the Signature Date and as amended or re-enacted, from time to time.

If any provision in a definition is a substantive provision conferring any rights or imposing any obligations on any party, then notwithstanding that, it is only in this interpretation clause, effect shall be given to it as if it were a substantive provision in this Agreement.

APPOINTMENT

The City hereby appoints the Service Provider, who accepts such appointment as stated in the Appointment letter dated _____ to provide the Services in accordance with the terms and subject to the conditions of this Agreement and the attached Terms of Reference.

PURPOSE OF THE AGREEMENT

The Purpose of this Agreement is to:

Formalise and regulate the working relationship between the Parties;

Set out the roles and responsibilities of the Parties; and

Define process and procedures to be followed by the Parties.

RELATIONSHIP

Nothing in this Agreement shall constitute or be deemed to constitute a partnership or joint venture between the Parties. Furthermore the Service Provider acknowledges and agrees that its status under this Agreement is that of an independent service provider and its status shall in no way be deemed to be that of an agent or employee of the City, for any purpose whatsoever, and the Service Provider shall have no authority or power to bind the City or to contract in the name of the City, or create a liability against the City in any way or for any purpose.

DURATION

This Agreement shall commence on the Effective Date and shall subsist for a period of 3 (three) years, unless terminated earlier pursuant to clause Error! Reference source not found..

CONTACT PERSON

The work to be performed by the Service Provider hereunder will be supervised by City's Contact Person.

The Parties shall notify each other, in writing from time to time, of the details of their nominated Contact Person.

The Contact Persons shall liaise and update each other on the progress of the Services rendered and shall endeavour to resolve and remedy any problems or disputes that may arise in relation to the Services.

Either Party may substitute a Contact Person at its discretion provided that each Party shall give the other Party reasonable notice of such

substitution and will provide replacement employees of equivalent ability.

Without derogating from the foregoing, should either Party replace a Contact Person for any reason whatsoever, it shall ensure, to the greatest extent possible in the circumstances, that the suitable period of hand-over and overlap takes place, at its cost, between the new and the encumbered Contact Person.

SCOPE OF GENERAL SERVICES

The Service Provider shall, for the duration of this Agreement, provide the Services set out in the details in the terms of the attached Terms of Reference.

SCOPE

Tenders are hereby invited for the supply, delivery and off-loading of pre-cast concrete units for City of Tshwane Departmental Operational teams for maintenance and road construction requirements.

Item 1a): Enviro-wall block

Item 1b): Enviro-wall base-block

Item 2a): Terrace block.

<u>Item 2b)</u>: Terrasil terrace block.

Item 3: Terraforce terrace block

Item 4a): Grass Block.

<u>Item 4b)</u>: Grass Block of the BG type.

Item 5a): Löffelstein L300 brick

Item 5b): Löffelstein L500 brick

Item 5c): Waterlöffel brick

<u>Item 6</u>: Armorflex 140 : STD012.

<u>Item 7</u>: Interlocking class 25 G-Block paving blocks as follows:

a) Full blocks, 225mm long x 112,5mm wide x 60mm thick in

standard grey.

b) Full blocks, 225mm long x 112,5mm wide x 60mm thick in

colour.

c) Full blocks, 225mm long x 112,5mm wide x 80mm thick in

standard grey.

d) Full blocks, 225mm long x 112,5mm wide x 80mm thick in colour. Interlocking class 25 "Double Zig Zag" paving blocks as follows: Item 8: a) Full blocks, 205mm long x 100mm wide x 60mm thick in standard grev. Full blocks, 205mm long x 100mm wide x 60mm thick in colour. b) Full blocks, 205mm long x 100mm wide x 80mm thick in c) standard grev. Full blocks, 205mm long x 100mm wide x 80mm thick in colour. d) Item 9a): Bevelled rectangular paving blocks in standard grey. Item 9b): Bevelled rectangular paving blocks in colour. Item 10a): Rectangular paving blocks in standard grey. Item 10b): Rectangular paving blocks in colour. Non-bevelled rectangular paving blocks in standard grey colour. Item 11a): Item 11b): Non-bevelled rectangular paving blocks in various colours. 450 x 450 mm x 50 mm block paving in standard grey. Item 12a): Item 12b): 450 x 450 mm x 50 mm block paving in various colours. Figure 6, Vertical kerbs 1000mm long for edge restraint. Item 13a): Item 13b): Figure 12, Vertical kerbs 1000mm long for edge restraint. Figure 3 Kerbing, 1 000 mm long, conforming in all respects to Item 14a): the requirements of the latest edition of SANS 927. Item 14b): Figure 3 Kerbing, 500 mm long, conforming in all respects to the requirements of the latest edition of SANS 927. Item 15c): Figure 3 Kerbing, 300 mm long, conforming in all respects to the requirements of the latest edition of SANS 927. Item 15a): Figure 7 Kerbing, 1 000 mm long, conforming in all respects to the requirements of the latest edition of SANS 927: STD003.1. Item 15b): Figure 7 Kerbing, 500 mm long, conforming in all respects to the requirements of the latest edition of SANS 927. Item 15c): Figure 7 Kerbing, 300 mm long, conforming in all respects to the requirements of the latest edition of SANS 927.

<u>Item 16a)</u>: Kerb Inlet, 600 mm long U-Kerb (Type 1, straight unit):

STD003.2.

Item 16b): Kerb Inlet, 600 mm long U-Kerb (Type 2, angled unit):

STD003.2.

<u>Item 16c)</u>: End pieces for catch pit sections.

<u>Item 17a</u>): Bottom Kerb Inlet (Type1, straight unit) according to attached

drawing: STD003.2.

Item 17b): Bottom Kerb Inlet (Type 2, angled unit) according to attached

drawing: STD003.2.

<u>Item 18</u>: Precast Slab for kerb inlet, (rectangular) according to attached

drawing: STD003.2.

<u>Item 19</u>: Precast Slab for kerb inlet, (cut-off corner) according to attached

drawing: STD003.2.

<u>Item 20a-h)</u>: Precast KI slabs, various sizes, panel. : STD003.2.

<u>Item 21a-i)</u>: Precast JB slab, various sizes, panel: STD004.1.

<u>Item 22</u>: Steel frame for catch pit (Length 3000mm) according to the

attached drawing: STD003.2.

Item 23: Pedestrian ramp block 300 x 300 x 100: STD003.2.

Item 24: Concrete Tree ring, inside diameter 1000mm

Item 25a): Concrete bollards 150mm diameter: STD011.

<u>Item 25b)</u>: Concrete bollards 250mm diameter: STD011.

Item 26a-h): Concrete draw box, inside diameter 750mm: STD004.6.

Item 27a-h): Centurion Transition Kerbs 1-4

<u>Item 28</u>: Median Barriers Concrete (SANRAL) 1000mm high

Dimensions and quality is to be as hereinafter described.

REQUIREMENTS:

The contractor agrees and undertakes to supply the concrete units for a period of three (3) years, and to duly deliver such concrete units at such place/s as the Municipality may direct within the limits of the Municipal Area of Tshwane, it being hereby understood that the term "delivered" includes off-

loading by the Contractor/s or his/their authorized representative/s and handing over to the responsible official of the Municipality at the sites where such concrete units are required to be delivered.

The City of Tshwane reserves the right to test precast concrete units delivered to any site during the duration of the contract and will reject any products that do not comply to specification.

All damaged concrete units will be rejected and must be replaced by the contractor at his own cost.

SPECIFICATION:

Item 1(a)

Concrete block required under <u>Item 1(a)</u> will stack and interlock to produce a gravity retaining wall. The block shall be reversible to give either a smooth or grooved finishing-face.

These blocks will conform to Enviro Wall Block.

The basic dimensions of this block shall be:

Length: 275 mm
Width: 300 mm
Height: 135 mm
Mass: 25 kilogram

Item 1(b)

The concrete base block required under <u>Item 1(b)</u>, will give a 70 degree angle of inclination to the gravity retaining wall. This base block shall fit and give support to the bottom of Item 1(a).

The basic dimensions of this block shall be:

Length: 275 mm
Width: 300 mm
Height: 200 mm
Mass: 24 kilogram

Item 2(a)

Rectangular concrete building block required under <u>Item 2(a)</u>, with open base and top, with cut-outs on the back and 20mm stand-up lip in front. The stacked blocks shall give an angle of inclination of 75 degrees. These blocks will conform to the Terrace Block on the attached drawing.

The basic dimensions of this block shall be:

Length: 390 mm
Width: 190 mm
Height: 170 mm
Mass: 17 kilogram

Item 2(b)

This hallow semi-circular concrete block required under <u>Item</u> <u>2(b)</u>, will form a self-supporting dry-stacked retaining wall. These

blocks shall conform to the Terrasil Block on the attached drawing.

The basic dimensions of this block shall be:

Height: 300 mm Mass: 45 kilogram

<u>Item 3</u> This reversible hallow concrete block required under <u>Item 3</u>, will form a earth retaining and stabilising system with a closed vertical and open horizontal surface structure.

The basic dimensions of this block shall be:

Length:425 mmWidth:340 mmHeight:225 mmMass:28 kilogram

Item 4(a) This concrete block required under Item 4(a) consists of a concrete grid having soil chambers and regularly spaced concrete projections for wheel contact at the surface. These blocks will confirm with the "K" Grass Block on attached drawing. The minimum concrete strength shall be not less than 25 MPa at 28 days.

The basic dimensions of this block shall be:

Thickness: 90 mm
Length: 600 mm
Width: 400 mm
Mass: 25 kilogram

Item 4(b) This concrete block required under Item 4(b), consists of a concrete grid having soil chambers and regularly spaced concrete projections for wheel contact at the surface. The surface area comprises approximately 75% grass and 25% concrete, while the bearing area is 88% concrete. These blocks will confirm with the "BG" Grass Block on attached drawing. The minimum concrete strength shall be not less than 25 MPa at 28 days.

The basic dimensions of this block shall be:

Thickness: 120 mm
Length: 600 mm
Width: 400 mm
Mass: 37 kilogram

Item 4(c) This interlocking hallow concrete block required under Item 4(c), forms a flexible lining for protection against wind and water erosion.

The basic dimensions of this block shall be:

Length:452 mmWidth:320 mmHeight:100 mMass:12 kilogram

Item 4(d)

This interlocking hallow concrete block required under <u>Item 4(d)</u>, forms a flexible lining for protection against wind and water erosion.

The basic dimensions of this block shall be:

Length : 452 mm
Width : 320 mm
Height : 150 mm
Mass : 19 kilogram

Item 5(a)

This linked retaining wall concrete brick required under Item
5(a), shall be capable of an angle of inclination of between 25 and 70 degrees in the dry stacked method. This concrete brick shall have a three-sided web-construction and be of the L300 type.

The basic dimensions of this brick shall be:

Length : 170 mm
Width : 300 mm
Depth : 450 mm
Mass : 33 kilogram

Item 5(b)

This linked retaining wall concrete brick required under <u>Item 5(b)</u>, shall be capable of an angle of inclination of between 25 and 70 degrees in the dry stacked method. This concrete brick shall have a three-sided web-construction and be of the L500 type.

The basic dimensions of this brick shall be:

Length: 170 mm
Width: 500 mm
Depth: 450 mm
Mass: 52 kilogram

Item 5(c)

This linked waterway bank protection concrete brick required under Item 5(c), shall be capable of being laid from below water to above the high water mark to protect a bank from scouring. It must be capable of being dry-stacked at an angle of inclination between 45 and 70 degrees.

The basic dimensions of this brick shall be:

Height : 150 mm Length : 650 mm

Width: 650 mm (incl of wings)

450 mm (excl of wings)

Mass : 72 kilogram

Item 6 These compressed concrete blocks with vertical holes and two horizontal cable ducts required under Item 6, STD012, are of a shape that they interlock with each other transversely across and can be joined by cable to form a mat. These blocks are specially tapered to allow for flexibility and conforms to ground contours and resists high water flow velocities. The matrix of open cells allows for ground filling which allows the establishment of natural vegetation when laid.

The basic dimensions of this block shall be:

Height: 95 mm
Length: 340 mm
Width: 400 mm

Mass : 17.5 kilogram

These blocks shall be interlinked with steel wire, cable or polyester rope.

Item 7 Interlocking paving blocks required under Item 7 shall be of Class 25 G-Block or similar.

The interlocking paving blocks shall have a 16 face positive angular interlock, the top surface shall be chamfered with the wearing surface non-skid. The blocks must have a constant cross-section. Six spacer bars shall be provided around the block with a spacer height of 1.5 milli-meters above the vertical surface of the block. The provision of interlocking paving blocks must include edge blocks to eliminate cutting of full blocks to complete the full interlock pattern.

The blocks must be able to be laid in herring-bone, parquet and stretcher patterns.

The size of the blocks shall be as follows:

There are to be approximately 40 blocks to a square metre paving area.

Full blocks

Length: 225 mm
Width: 112.5 mm
Thickness: 60 or 80 mm

The block thickness shall be within 2mm of the specified thickness. The blocks are to be delivered to site in strapped and wrapped bundles and under no circumstances will "tipped" blocks be accepted.

The individual blocks shall have a 28 day compressive strength of not less than 20 MPa (Wet), after blocks have been saturated in water for at least 24 hours before testing.

The blocks shall carry the SANS mark.

The aspects of appearance, tolerance etc as well as test methods shall be in accordance with the Concrete Masonry Association's Specification and SANS 1058.

<u>Item 8</u> Interlocking paving blocks required under <u>Item 8</u> shall be Class 25. Compressive strength shall not be less than 20 MPa (Wet).

The interlocking paving blocks shall have a 16 face positive angular interlock, the top surface shall be chamfered with the wearing surface non-skid. The blocks must have a constant cross-section. The provision of interlocking paving blocks to eliminate cutting of full blocks to complete the full interlock pattern.

The blocks must be able to be laid in herring-bone, parquet and stretcher patterns.

The size of the blocks shall be as follows:

There are to be approximately 48 blocks to a square metre paving area.

Full blocks

Length : 205 mm
Width : 100 mm
Thickness : 60 or 80 mm

The block thickness shall be within 2mm of the specified thickness.

The blocks are to be delivered to site in strapped and wrapped bundles and under no circumstances will "tipped" blocks be accepted.

The individual blocks shall have a 28 day compressive strength of not less than 20 MPa (Wet), after blocks have been saturated in water for at least 24 hours before testing.

The blocks shall carry the SANS mark.

The aspects of appearance, tolerance etc as well as test methods shall be in accordance with the Concrete Masonry Association's Specification and SANS 1058.

Bevelled paving blocks of rectangular shape required under Item
 9(a), for paving of sidewalks in standard grey. The minimum thickness shall be at least 60 mm with a bevel of 6 mm by 4 mm. The concrete strength shall be at least 25 Mpa at 28 days.

The basic dimension of this block shall be:

Thickness : 60 mm minimum

Length : 210 mm Width : 105 mm

<u>Item 9(b)</u> Bevelled paving blocks of rectangular shape required under <u>Item</u> 9(b), for paving of sidewalks in various colours. The minimum

thickness shall be at least 60 mm with a bevel of 6 mm by 4 mm.

The concrete strength shall be at least 25 Mpa at 28 days.

The basic dimension of this block shall be:

Thickness: 60 mm minimum

Length : 210 mm Width : 105 mm

<u>Item 10(a)</u> Paving blocks of rectangular shape are required under <u>Item 10(a)</u> for paving of sidewalks in standard grey. The minimum

thickness shall be at least 50 mm.

The concrete strength shall be at least 25 MPa at 28 days.

The basic dimension of this block shall be:

Thickness: 50 mm minimum

Length : 200 mm Width : 100 mm

<u>Item 10(b)</u> Paving blocks of rectangular shape required under <u>Item 10(b)</u>,

for paving of sidewalks in various colours. The minimum

thickness shall be at least 50 mm.

The concrete strength shall be at least 25 Mpa at 28 days.

The basic dimension of this block shall be:

Thickness: 50 mm minimum

Length : 200 mm Width : 100 mm

<u>Item 11(a)</u> Non-bevelled paving blocks of rectangular shape required under

<u>Item 11(a)</u>, for paving of sidewalks. The thickness shall be 50mm with tolerance of not more than 2 millimetres. The

concrete strength shall be at least 25 MPa at 28 days. The colour shall be standard grey.

The basic dimension of this block shall be:

Thickness: 50 mm Length: 200 mm Width: 150 mm

The coverage shall be approximately 33 blocks per square metre.

Non-bevelled paving blocks of rectangular shape required under Item 11(b), for paving of sidewalks. The thickness shall be 50mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 MPa at 28 days. The block shall be various colours.

The basic dimension of this block shall be:

Thickness: 50 mm Length: 200 mm Width: 150 mm

The coverage shall be approximately 33 blocks per square metre.

Square paving block required under Item 12(a), for paving of sidewalks. The thickness shall be 50 mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 Mpa at 28 days. The block shall be standard grey. The basic dimension of this block shall be:

Thickness: 50 mm Length: 450 mm Width: 450 mm

The coverage shall be approximately 4 blocks per square metre.

Square paving block required under Item 12(b), for paving of sidewalks. The thickness shall be 50 mm with tolerance of not more than 2 millimetres. The concrete strength shall be at least 25 Mpa at 28 days. The block shall be in various colours. The basic dimension of this block shall be:

Thickness: 50 mm Length: 450 mm Width: 450 mm

The coverage shall be approximately 4 blocks per square metre.

Item 13(a) Kerbs for edge restraint to paving, required under Item 13(a), must comply with the requirements of the latest editions of SANS 927. These kerbs must conforms with the Kerb Fig 6 item on attached drawing.

The basic dimension of these kerbs shall be:

Height : 230 mm Length : 1000mm Width : 75 - 125mm

Item 13(b)

Kerbs for edge restraint to paving required under Item 13(b), must comply with the requirements of the latest edition of SANS 927. These kerbs must conforms with the Kerb Fig 12 item on attached drawing.

The basic dimension of these kerbs shall be:

Height : 150 mm Length : 1000mm Width : 75 mm

<u>Item 14</u>

The pre-cast concrete kerbing supplied under Items 14(a), (b), (c), 15(a), (b), and (c) shall in all respects conform to the requirements of the latest edition of SANS 927.

Length of kerbing required:

 Item 14(a) and 15(a)
 :
 1 000 mm each

 Item 14(b) and 15(b)
 :
 500 mm each

 Item 14(c) and 15(c)
 :
 300 mm each

The other dimensions are as follows:

Items 14(a) (b) and (c) (Figure 3)

Height : 300 mm
Bottom width : 150 mm
Top width : 125 mm
Width 180 mm from top : 150 mm

<u>Items</u> 15(a), (b) and (c)

Height : 280 mm
Bottom width : 180 mm
Top width : 75 mm
Width 140 mm from top : 180 mm

- Item 16 The pre-cast concrete kerb inlets (Type 1, straight unit and Type 2, angled unit) required under Item 16(a) and 16(b), shall be 600mm long x 670mm high x 2 legs 570mm. A 50mm hole is to be provided for lifting purposes. (See attached drawing Pre-cast Kerb Inlet, for dimensions).
- Item 16 The pre-cast concrete end pieces, required under Item 16(c), shall be 690 mm x 575 mm x 75 mm thick. The other dimensions of the catch pit sections are shown on the attached drawings (Pre-cast U Kerb Inlet).

- Item17 The pre-cast concrete Bottom Kerb Inlet (Type 1 and 2), required under Item 17(a) and 17(b), shall be 600 mm long and conform to the dimensions and specifications indicated on drawings (Pre-cast Bottom for Kerb Inlet).
- Item 18-19 The pre-cast slabs for the kerb inlet, required under Item 18 and 19, shall be 1500 mm long and conform to the dimensions and specifications indicated on drawings (Pre-cast Slabs for Kerb Inlet).
- Item 20a-h) The pre-cast slabs for the kerb inlet required under Items 20a) to 20h), dimensions and full details, including steel reinforcement and concrete quality are indicated on the attached drawings STD003. They are to include 2 x 50mm diameter sleeves for lifting purposes (Pre-cast Concrete Slabs).
- Item 21a-i) The pre-cast slabs for the Junction boxes required under Items 21a) to 21i), dimensions and full details, including steel reinforcement and concrete quality are indicated on the attached drawings Table A, STD004. They are to include 2 x 50mm diameter sleeves for lifting purposes (Pre-cast Concrete Slabs).
- Item 22 The steel frame for catch-pits required under Item 22, are to conform with the dimensions indicated on drawing "B" and are to be painted with an epoxy paint such as "epoxy aluminium EPD 428" or such like. This frame is to be made either in the left hand or right hand form, as required.
- Item 23 The concrete pedestrian ramp block 330 x 330 x 100 mm under Item 23, is to conforms with the detail indicated on the attached drawings (Pedestrian Ramp Block).
- <u>Item 24</u> The concrete tree ring under <u>Item 24</u> is to conform to the detail indicated on the attached drawing (Tree Ring), inside diameter 1000mm.
- Item 25(a) This reinforced concrete pole required under Item 25(a), must be able to be planted at a certain depth in the ground in an upright position to form a barricade to prevent vehicular movement in certain areas. These reinforced concrete poles must conform to the Concrete Bollard item on attached drawing.

The basic dimension of this pole shall be:

Height: 1 400 mm minimum

Diameter: 150 mm

25 MPa concrete to be used with four Y 10 reinforcing steel bars, 1 325mm long in the length and spaced evenly in the circumference of the bollard with a minimum concrete cover of 25mm.

Item 25(b)

This reinforced concrete pole required under Item 25(b), must be able to be planted at a certain depth in the ground in an upright position to form a barricade to prevent vehicular movement in certain areas. These reinforced concrete poles must conform to the Concrete Bollard item on attached drawing. The basic dimension of this pole shall be:

Height: 1 400 mm minimum

Diameter 250 mm

25 MPa concrete to be used with four Y 10 reinforcing steel bars, 1 325mm long in the length and spaced evenly in the circumference of the bollard with a minimum concrete cover of 25mm.

Item 26a-g) The concrete draw box, inside diameter 750mm under Item 26a) to 26g) is to conform to the detail indicated on the attached drawing (Draw Box for Cables) and Manhole covers, STD004, page 6.

Item 27a-h) Centurion Transition Kerbs, Items 1-4, according to the attached drawing

Item 28 Median barrier concrete (SANRAL) under Item 28 consists of a concrete barrier 1000mm high x 3850m long x 800mm wide at the base and 390mm wide at the top. Manufactured with 30 MPA concrete and steel reinforcing according to the SANRAL specification

QUALITY:

In the event of any pre-cast concrete units supplied to the Municipality by the Contractor/s being of an inferior quality or not according to the specifications, the Municipality is will reject such products at the cost of the supplier.

DELIVERABLES:

The delivery of the order shall not be unduly delayed and tenderers are reminded that orders placed against accepted tenders are to be executed in strict accordance with the accepted specification and within the delivery period of 30 days for the first order and 14 days for the subsequent following orders.

APPOINTMENT:

The tender will be awarded as a whole to 2 bidders to be utilised on a rotational basis, with purchase orders issued on an equal amount or quantity. Award will be done on averaged prices of the successful bidders.

PRICE AND PAYMENT

The City shall pay to the Service Provider a Contract Price in the sum of R (contract price in words).

All payments under this Agreement shall be made through an official purchase order, upon receipt of valid and undisputed Tax Invoices together with the supporting documentation from the Service Provider, once the undisputed Tax Invoices or such portion of the Tax Invoices which are undisputed become due and payable.

All amounts and other sums payable in terms of this Agreement and Schedules hereto will be stipulated exclusive of VAT, unless expressly stated otherwise.

Valid Tax Invoices shall be submitted. Payment valid tax invoices shall be made by The City within 30 (thirty) days after the date of receipt by The City of the Service Provider's tax invoice.

The City shall pay the amount reflected on a Tax Invoice once the City's Contact Person and Finance has verified that the Services set out in a schedule have been rendered and the Tax Invoice amount has been approved by the City.

All Tax Invoices shall be addressed to the City.

All payments shall be transferred, by the City to the Service Provider electronically into the Service Provider's bank account, the details of which are set out below:

Bank:	
Account type:	
Account No:	
Branch No:	

Failure to comply with the clauses above may result in late payment of the total amount of an invoice by the Service Provider to the City.

The City shall not be liable for any costs or damages suffered by the Service Provider as a result of such late payment.

PRICE RESTRUCTURING

The Service Provider may apply for a price review every year, every 12 (twelve) months from the appointment date.

SERVICE LEVELS

The Service Provider recognises that the City has entered into this Agreement relying specifically on the Service Provider's representations regarding service levels including, *inter alia*:

Capacity allocations in accordance with the Service to be provided;

All work to be performed and Services rendered under this Agreement shall comply with industry norms and best practice acceptable within the Services industry and shall be executed by the Service Provider to the total satisfaction of the City.

Amongst others, the Service Provider shall comply with and provide the Services as set out in clause Error! Reference source not found..

WITHHOLDING OF PERFORMANCE

The Service Provider may not under any circumstances, including, without limitation, non-payment by the City, withhold any Services from the City during the currency of this Agreement.

PENALTY

Should the Service Provider fail to comply with its obligations in terms of this Agreement, the City may:

Exercise its rights in terms of clause Error! Reference source not found..

An election of the above by the City shall not mean that the City has waived any other rights which the City might have in law.

The City shall provide the Service Provider with a written notice requiring the Service Provider to remedy the default within 7 (seven) days from the date of delivery of the notice.

Should the Service Provider fail to remedy the default within 7 (seven) days after receiving the notice, then the City shall be entitled,

without prejudice to any alternative or additional right of action or remedy available to the City and without further notice.

Should there be a dispute as to whether the failure to deliver was caused by the City or was the Service Provider's fault such dispute shall be dealt with in accordance to clause Error! Reference source not found..

ACCESS

The City shall allow the Service Provider reasonable access to its premises, provided that:

Access is related to the Services to be provided by the Service Provider; and

The Service Provider adheres to all rules, regulations and instructions applicable at the City's premises.

The City shall grant the Service Provider and/or its employees, to its premises to perform its obligations in terms of this Agreement.

The Service Provider and its employees shall at all time when entering the premises and/or Service Areas and/or Delivery Areas of the City comply with all rules, laws, regulations and policies of the City.

AMENDMENT OR CANCELLATION OF PURCHASE ORDER

The City is entitled to cancel an order, reschedule delivery of the Goods or change the Delivery Area and Delivery Date on fourteen (14) days written notice to the Service Provider.

INSPECTION

The City may at any time inspect the Goods and/or Services levels of the Service Provider in terms of this Agreement.

If the City is, at any time, dissatisfied with the service levels then the City shall, within 7 (seven) days, notify the Service Provider in writing of the failure or default.

The Service Provider shall immediately upon receipt of written demand by the City, remedy such failure or default, within 7 (seven) Business Days from the date of receipt of the notice, free of charge.

Should the Service Provider fail to remedy the failure or default referred to above then the City shall have the right to invoke the provisions of clauses and/or clause Error! Reference source not found..

To enable the City to determine whether the Goods and/or Services rendered in terms of this Agreement are being complied with the Service Provider shall:

Provide the City with such information as it may reasonably require;

SERVICE PROVIDER'S WARRANTIES AND INDEMNITIES

Service Warranties

The Service Provider warrants that in relation to each Service provided in terms of this Agreement:

- It has full capacity and authority to enter into and perform this
 Agreement, and that this Agreement is executed by duly
 authorised representatives of the Service Provider;
- Has requisite capacity and capability to provide the Services in an expert manner;
- It will discharge its obligations under this Agreement and any annexure, appendix or Schedule hereto with all due skill, care and diligence;
- All work performed and Services rendered under this Agreement shall comply with prevailing practice, standards and specifications within the industry;
- The use or possession by the City of any Materials will not subject The
 City to any claim for infringement of any Intellectual
 Property Rights of any third party;
- With promptness and diligence and in a skilful manner and in accordance with the practices and professional standards of operations while performing Services and/or delivering Goods and/or similar to the Services and/or Goods;
- Which Services and/or Goods will in all aspects comply with industry norms and best practice to the satisfaction of the City with regard to materials;
- Using and adopting any standards, processes and procedures required under this Agreement;

Free from any defects in material;

Maintaining and caused to be maintained the highest standard of care and diligence in providing the Services,

Ensuring that all applicable laws are observed;

Without derogating from the generality of the foregoing, strictly adhering to any or all laws, regulations and accepted procedures with regard to health and hygiene.

Indemnity

The Service Provider hereby indemnifies the City against any claim which may be brought against the City by the Service Provider's personnel or a third party arising from the execution of this Agreement alternatively which arises against the City as a result of the Service Provider's breach of any of the provisions of this Agreement, provided that the City shall notify the Service Provider in writing within a reasonable time, and in any event not less than 14 (fourteen) Business days of the City becoming aware of any such claim to enable the Service Provider to take steps to contest it and shall provide the Service Provider with such reasonable assistance as may be necessary to enable the Service Provider to defend the claim to the extent only that it is in a position to render such assistance. The Service Provider may, within 5 (five) Business Days of receipt of written notice from the City aforesaid, elect in writing to contest such a claim in the name of the City and shall be entitled to control the proceedings in regard thereto, provided that the Service Provider indemnifies the City against all and any costs (including attorney and own client costs) which may be incurred by or awarded against the City as a consequence of the defence of the claim.

STATUTORY AND EMPLOYMENT ISSUES

Occupational Health and Safety Act, 1993

The Service Provider shall be responsible for ensuring compliance with all the provisions of the Occupational Health and Safety Act, 1993 and it indemnifies the City against any claim which may arise in respect of such Act by its personnel against the City.

SUB-CONTRACTING

The Service Provider may not Subcontract the whole of or any portion of the Services in terms of this Agreement to any third party.

CONFIDENTIALITY

The Service Provider acknowledge that all information relating to the City confidential business and technical information, data, documents or other information necessary or useful for the carrying on by the City of its business which shall include, but shall not be limited to operating procedures, quality control procedures, approximate operation personnel requirements, descriptions and trade names and trademarks, know how, techniques, technology, information relating to clients, customers, suppliers, relevant authorities, copyright, trade secrets and all goodwill relating to the business

and any other intellectual property rights, technical data and documents in whole or in part, used by the City in respect of its business; ("Confidential Information"), shall remain confidential and shall not be made known unless the City has given written consent to do so.

The information provided by the City in the context of this Agreement is Confidential Information and the Service Provider shall take all reasonable measures to keep the information confidential and will only use the information for the purpose for which it was provided.

The Service Provider undertakes to not disclose any such Confidential Information. However, there will be no obligation of confidentiality or restriction on use where:

The information is publicly available, or becomes publicly available otherwise than by action of the receiving Party; or

The information was already known to the receiving Party (as evidenced by its written records) prior to its receipt under this or any previous agreement between the Parties or their affiliates; or

The information was received from a third Party not in breach of an obligation of confidentiality.

INTELLECTUAL PROPERTY RIGHTS

All Intellectual Property Rights of the Service Provider and/or third party vest in the Service Provider and/or third party, as appropriate.

All rights in the City name and logo remain the absolute property of the City.

The Service Provider warrants that no aspect of the Services provided in terms thereof will infringe any Patent, Design, Copyright, Trade Mark or trade secret or other proprietary right of any third party.

The Service Provider shall promptly notify the City, in writing, of any infringement or apparent or threatened infringement or any circumstances which may potentially give rise to an infringement, or any actions, claims or demands in relation to any Intellectual Property Rights.

In the event the City becomes aware of any such infringement, the Service Provider shall, at its cost, defend the City against any claim that the Services infringe any such third party Intellectual Property Rights, provided that the City gives notice to the Service Provider of such claim and the Contractor controls the defence thereof. The Service Provider further indemnifies the City against, and undertakes that it will pay all costs, damages and attorney fees, if any, finally awarded against the City in any action which is

attributable to such claim and will reimburse the City with all costs reasonably incurred by the City in connection with any such action.

Should any claim be made against the City by any third party in terms of clause Error! Reference source not found., the City shall give the S ervice Provider written notice thereof within 3 (three) days of becoming aware of such claim to enable the Service Provider r to take steps to contest it.

Should any third party succeed in its claim for the infringement of any third party proprietary rights, the Service Provider shall, at its discretion and within 30 (thirty) days of the Services having been found to infringe, at its own cost:

Obtain for the City the right to continue using the subject of infringement or the parts thereof which constitute the infringement; or

replace the subject of infringement or the parts thereof which constitute the infringement with another product or service which does not infringe and which is materially similar to the subject of infringement; or

Alter the subject of infringement in such a way as to render it non-infringing while still in all respects operating in substantially the same manner as the subject of infringement; or

Withdraw the subject of infringement.

FORCE MAJEURE

For the purposes hereof, Force Majeure shall mean civil strife, riots, insurrection, sabotage, national emergency, acts of war of public enemy, rationing of supplies, flood, storm, fire or any other like forces of nature beyond the reasonable control of the party claiming Force Majeure and comprehended in the terms thereof.

If Force Majeure causes delays in or failure or partial failure of performance by a Party of all or any of its obligations hereunder, this Agreement shall be suspended for the period agreed in writing between the Parties.

In the event of circumstances arising which the other Party believes that it constitutes a Force Majeure ("the Affected Party") then such Affected Party shall send, within 5 (five) days from the interrupting circumstances, a written notice of the interrupting circumstances specifying the nature and date of commencement of the interrupting event to the other Party. The Parties shall agree, in writing, to suspend the implementation of this Agreement for a specific period ("Agreed Period").

In the event that both Parties reasonably believe that the Affected Party shall be unable to continue to perform its obligations after the

Agreed Period, then either Party shall be entitled to terminate this Agreement without further notice to the other Party.

CESSION

The Service Provider shall not be entitled to cede or assign or transfer in any other way and/or alienate its rights and obligations in terms of this Agreement.

CHANGE OF CONTROL / CIRCUMSTANCE

The Service Provider shall notify the City, in writing, of any change in the Service Provider's shareholding or membership or any change in the Service Provider's subsidiary companies or holding or its affiliates (such change shall be considered a material change in the constitution and identity of the Service Provider. The City may terminate this Agreement upon becoming aware of such material change.

The Parties agree that should there be a change as envisaged in clause

Error! Reference source not found., the Service Provider will no I
onger exist and a new third party/entity shall have been constituted.
In this regard, such third party shall not be entitled to inherit any of
the Service Provider's rights and obligations in terms of this
Agreement, which will only be transferred to the new entity in
writing by the City following the City's satisfaction and approval in
writing of such new entity.

The Service Provider shall further notify the City of any material changes or circumstance which might have led the City to appoint the Service Provider to Provide the Goods and/or Services. In the event that any material change or circumstance occurs and the Service Provider fails to inform the City of such a change or circumstance, the Service Provider shall be deemed to have breached a material term of this Agreement and the City shall be entitled to cancel the Agreement on 1 (one) month's prior notice.

BREACH

Subject to clause Error! Reference source not found. above, should either P arty commit a breach of any term of this Agreement ("the Defaulting Party") then the affected party ("Aggrieved Party") shall be entitled to inform the Defaulting Party in writing to remedy such failure or default within 5 (five) Business Days and should the Defaulting Party fail to remedy the breach within 5 (five) Business Days after receipt of the notice the so Aggrieved Party shall be entitled,

without prejudice to any of its rights under this Agreement or law to:

Immediately terminate this Agreement without giving written notice and claim damages (which shall include legal costs on an attorney/client scale); or

Request specific performance and claim damages (which shall include legal costs on an attorney/client scale); or

EARLY TERMINATION

The City shall have the right to terminate this Agreement by giving 30 (thirty) days' notice in writing to the Service Provider of its intention to terminate the Agreement.

DISPUTES

Save for clause Error! Reference source not found. or any other clause in this Agreement which provides for its own remedy, should any dispute arise between the Parties in respect of or pursuant to this Agreement, including, without limiting the generality of the foregoing, any dispute relating to:

The interpretation of the Agreement;

The performance of any of the terms of the Agreement;

Any of the parties' rights and obligations;

Any procedure to be followed;

The termination or cancellation or breach of this Agreement; or

The rectification or repudiation of this Agreement; then any Party may give the other Party written notice of such dispute, in which event the provisions below shall apply.

Within 7 (seven) days of the declaration of such dispute, the Parties representatives or their nominated persons shall meet in the spirit of goodwill and endeavour to resolve the dispute, failing which (and without prejudice to any other alternative dispute resolution to which the Parties may agree, either prior to or concurrently with arbitration) the provisions of this clause Error! Reference source not found. shall apply.

If the Parties are unable to resolve the dispute within 14 (fourteen) days of the notice of the dispute (or such longer period as they may have agreed to in writing), then either Party may, on written notice to the other Party, require that the dispute be submitted to and decided by

arbitration, in terms of the Arbitration Act, 42 of 1965 of South Africa ("the Arbitration Act").

The arbitration shall be held under the provisions of the Arbitration Act provided that the arbitration shall be:

At any place which the Parties agree, in writing, to be mutually convenient.

in accordance with such formalities and/or procedures as may be settled by the arbitrator and may be held in an informal and summary manner, on the basis that it shall not be necessary to observe or carry out the usual formalities of procedure, pleadings and/or discovery or respect rules of evidence.

If the arbitration is:

A legal matter, then the arbitrator shall be a practicing advocate or a practicing attorney of not less than 10 (ten) years' standing;

An accounting matter, then the arbitrator shall be a practicing chartered accountant of not less than 10 (ten) years' standing;

Any other matter, then the arbitrator shall be any independent person agreed upon between the parties.

Should the Parties fail to agree on an arbitrator within 14 (fourteen) days after the arbitration has been demanded, then the arbitrator shall be nominated at the request of either of the Parties, by the president for the time being of the Law Society of the Northern Provinces.

Should the Parties fail to agree whether the dispute is of a legal, accounting or other nature within seven (7) days after the arbitration has been demanded, and then it shall be deemed to be a dispute of a legal nature?

The arbitrator may:

investigate or cause to be investigated any matter, fact or thing which he considers necessary or desirable in connection with the dispute and for that purpose, shall have the widest powers of investigating all documents and records of any party having a bearing on the dispute;

Interview and question under oath the parties of any of their representatives;

Decide the dispute according to what he considers just and equitable in the circumstances; and

Make such award, including an award for specific performance, damages or otherwise, as he in his discretion may deem fit and appropriate. The arbitration shall be held as quickly as possible after it is requested, with a view to it being completed within thirty (30) days after it has been so requested.

The arbitrator's decision and award shall be in writing with reasons and shall be final and binding upon the Parties.

The arbitrators award may, on application by either Party to a court of competent jurisdiction and after due notice is given to the other Party, be made an order of court.

Notwithstanding the provisions of clauses Error! Reference source not found., Error! Reference source not found. Erro

The provisions of this clause 28 are severable from the rest of this Agreement and shall remain in effect even where this Agreement is terminated or cancelled for any reason.

LAWS AND JURISDICTION

This Agreement shall be governed by and interpreted according to the Law of the Republic.

Each Party submits to the exclusive jurisdiction of the South African courts in respect of any matter arising from or in connection with this Agreement including its termination. Each Party further

consents to the jurisdiction of the High Court of South Africa (North Gauteng High Court (Pretoria).

NOTICES AND COMMUNICATIONS

The Parties choose as their respective domicilium citandi et executandi (hereinafter referred to as the "domicilium") and for the delivery of any notices arising out of the Agreement or its termination or cancellation, whether in respect of court process, notices or other documents or communications of whatsoever nature (including the exercise of any option), the address set out below:

THE CITY:

Office of the City Manager Tshwane House 2nd Floor, Block D 320 Madiba Street Pretoria, 0001 P O Box 440 Pretoria, 0001

Email: <u>citymanager@tshwane.gov.za</u>

Attention: Abe Komote

E-mail:abek@tshwane.gov.za

THE SERVICE PROVIDER:	
· 	
Attaction	
Attention:	
Telephone:	
Fax:	
Email:	

Each Party shall be entitled from time to time, by written notice to the other Party, to vary its *domicilium* to any other address which is not a Post Office Box or a Poste Restante.

Any notice given and any documentation delivered by any Party to another Party (hereinafter referred to as "the addressee") which:

- Is delivered by hand during normal business hours of the addressee at the addressee's *domicilium*, shall be deemed, until the contrary is proved by the addressee, to have been received by the addressee at the time of delivery;
- is posted by prepaid registered post to the addressee at the addressee's domicilium shall be deemed, until the contrary is proved by the addressee, to have been received on the 7th (seventh) day after the date of posting.
- is sent by email or facsimile machine shall be deemed, until the contrary is proven by the addressee, to have been received within 1 (one) hour of transmission where it is transmitted during business hours of the receiving instrument and at noon on the following business day (excluding Saturdays) where it is transmitted outside such business hours.

Any notice or communication required or permitted in terms of this Agreement shall be valid and effective only if in writing but it shall be competent to give notice by email.

Notwithstanding anything to the contrary in this Agreement a notice or communication actually received by one Party shall be an adequate

notice or communication notwithstanding that it was not sent to or delivered at the chosen *domicilium citandi et executandi*.

GENERAL AND MISCELLANEOUS

SOLE RECORD OF AGREEMENT

This Agreement constitutes the sole record of the agreement between the parties with regard to the subject matter hereof. No party shall be bound by any express or implied term, representation, warranty, promise or the like not recorded herein.

NO AMENDMENT EXCEPT IN WRITING

No addition to, variation of, or agreed cancellation of, this Agreement shall be of any force or effect unless in writing and signed by or on behalf of the parties. Any alleged waiver of this requirement must itself be reduced to writing and signed by the relevant party to be of any effect.

WAIVERS

No relaxation or indulgence which any party may grant to any other shall constitute a waiver of the rights of that party and shall not preclude that party from exercising any rights which may have arisen in the past or which might arise in future.

SURVIVAL OF OBLIGATIONS

Any provision of this Agreement which contemplates performance or observance subsequent to any termination or expiration of this Agreement shall survive any termination or expiration of this Agreement and continue in full force and effect.

APPROVALS AND CONSENTS

An approval or consent given by a party under this Agreement shall only be valid if in writing and shall not relieve the other party from responsibility for complying with the requirements of this Agreement nor shall it be construed as a waiver of any rights under this Agreement except as and to the extent otherwise expressly provided in such approval or consent, or elsewhere in this Agreement. Any alleged waiver of the requirement that the approval or consent must be in writing must itself be reduced to writing and signed by the relevant party to be of any effect.

EXECUTION

This Agreement may be executed in several counterparts, which shall each be deemed an original, but all of which shall constitute one

and the same instrument. A facsimile shall constitute a valid counterpart for all purposes hereunder.

The signatories to this Agreement by their signature warrant their authority to enter into this Agreement and the capacity of their principal, if signing in a representative capacity, to enter into this Agreement.

Signed at	on this	day of	20
For and on behalf of THE CITY OF T Duly represented by:			ICIPALITY
City Manager			
Witnesses 1 2			
Signed at20	on this	day of	
For and on behalf of Service Provide Duly represented by			
Witnesses 1			

RESOLUTION OF THE BOARD

Resolution b	by the Board of Directors of	
made at a m	neeting held at	on
NOTED:	of which services (the "Agreement") on the	intends to enter into an ane Metropolitan Municipality in termsshall provide terms and subject to the conditions of ution is attached as Annexure "B".
RESOLVED):	
		approves the terms and subject to the conditions solution is attached.
	authorised to negotiate, settle and	in his capacity as a of, be and is hereby I sign the Agreement attached hereto, I do all things necessary to give effect half of
Read and C	Confirmed	

Chairman/Company Secretary

THE NATIONAL TREASURY

Republic of South Africa



GOVERNMENT PROCUREMENT GENERAL CONDITIONS OF CONTRACT

July 2010

GOVERNMENT PROCUREMENT

GENERAL CONDITIONS OF CONTRACT July 2010

NOTES

The purpose of this document is to:

- (i) Draw special attention to certain general conditions applicable to government bids, contracts and orders; and
- (ii) To ensure that clients be familiar with regard to the rights and obligations of all parties involved in doing business with government.

In this document words in the singular also mean in the plural and vice versa and words in the masculine also mean in the feminine and neuter.

- The General Conditions of Contract will form part of all bid documents and may not be amended.
- Special Conditions of Contract (SCC) relevant to a specific bid, should be compiled separately for every bid (if (applicable) and will supplement the General Conditions of Contract. Whenever there is a conflict, the provisions in the SCC shall prevail.

TABLE OF CLAUSES

- 1. Definitions
- 2. Application
- 3. General
- 4. Standards
- 5. Use of contract documents and information; inspection
- 6. Patent rights
- 7. Performance security
- 8. Inspections, tests and analysis
- 9. Packing
- 10. Delivery and documents
- 11. Insurance
- 12. Transportation
- 13. Incidental services
- 14. Spare parts
- 15. Warranty
- 16. Payment
- 17. Prices
- 18. Contract amendments
- 19. Assignment
- 20. Subcontracts
- 21. Delays in the supplier's performance
- 22. Penalties
- 23. Termination for default
- 24. Dumping and countervailing duties
- 25. Force Majeure
- 26. Termination for insolvency
- 27. Settlement of disputes
- 28. Limitation of liability
- 29. Governing language
- 30. Applicable law
- 31. Notices
- 32. Taxes and duties
- 33. National Industrial Participation Programme (NIPP)
- 34. Prohibition of restrictive practices

General Conditions of Contract

1. Definitions

- 1. The following terms shall be interpreted as indicated:
- 1.1 "Closing time" means the date and hour specified in the bidding documents for the receipt of bids.
- 1.2 "Contract" means the written agreement entered into between the purchaser and the supplier, as recorded in the contract form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- 1.3 "Contract price" means the price payable to the supplier under the contract for the full and proper performance of his contractual obligations.
- 1.4 "Corrupt practice" means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution.
- 1.5 "Countervailing duties" are imposed in cases where an enterprise abroad is subsidized by its government and encouraged to market its products internationally.
- 1.6 "Country of origin" means the place where the goods were mined, grown or produced or from which the services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembly of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 1.7 "Day" means calendar day.
- 1.8 "Delivery" means delivery in compliance of the conditions of the contract or order.
- 1.9 "Delivery ex stock" means immediate delivery directly from stock actually on hand.
- 1.10 "Delivery into consignees store or to his site" means delivered and unloaded in the specified store or depot or on the specified site in compliance with the conditions of the contract or order, the supplier bearing all risks and charges involved until the supplies are so delivered and a valid receipt is obtained.
- 1.11 "Dumping" occurs when a private enterprise abroad market its goods on own initiative in the RSA at lower prices than that of the country of origin and which have the potential to harm the local industries in the RSA.
- 1.12 "Force majeure" means an event beyond the control of the supplier and not involving the supplier's fault or negligence and not foreseeable. Such events may include, but is not restricted to, acts of the purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 1.13 "Fraudulent practice" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of any bidder, and includes collusive practice among bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the bidder of the benefits of free and open competition.

- 1.14 "GCC" means the General Conditions of Contract.
- 1.15 "Goods" means all of the equipment, machinery, and/or other materials that the supplier is required to supply to the purchaser under the contract.
- 1.16 "Imported content" means that portion of the bidding price represented by the cost of components, parts or materials which have been or are still to be imported (whether by the supplier or his subcontractors) and which costs are inclusive of the costs abroad, plus freight and other direct importation costs such as landing costs, dock dues, import duty, sales duty or other similar tax or duty at the South African place of entry as well as transportation and handling charges to the factory in the Republic where the supplies covered by the bid will be manufactured.
- 1.17 "Local content" means that portion of the bidding price which is not included in the imported content provided that local manufacture does take place.
- 1.18 "Manufacture" means the production of products in a factory using labour, materials, components and machinery and includes other related value-adding activities.
- 1.19 "Order" means an official written order issued for the supply of goods or works or the rendering of a service.
- 1.20 "Project site," where applicable, means the place indicated in bidding documents.
- 1.21 "Purchaser" means the organization purchasing the goods.
- 1.22 "Republic" means the Republic of South Africa.
- 1.23 "SCC" means the Special Conditions of Contract.
- 1.24 "Services" means those functional services ancillary to the supply of the goods, such as transportation and any other incidental services, such as installation, commissioning, provision of technical assistance, training, catering, gardening, security, maintenance and other such obligations of the supplier covered under the contract.
- 1.25 "Written" or "in writing" means handwritten in ink or any form of electronic or mechanical writing.

1. Application

- 2.1 These general conditions are applicable to all bids, contracts and orders including bids for functional and professional services, sales, hiring, letting and the granting or acquiring of rights, but excluding immovable property, unless otherwise indicated in the bidding documents.
- 2.2 Where applicable, special conditions of contract are also laid down to cover specific supplies, services or works.
- 2.3 Where such special conditions of contract are in conflict with these general conditions, the special conditions shall apply.

3. General

3.1 Unless otherwise indicated in the bidding documents, the purchaser shall not be liable for any expense incurred in the preparation and submission of a bid.

Where applicable a non-refundable fee for documents may be charged.

3.2 With certain exceptions, invitations to bid are only published in the Government Tender Bulletin. The Government Tender Bulletin may be obtained directly from the Government Printer, Private Bag X85, Pretoria 0001, or accessed electronically from www.treasury.gov.za

4. Standards

4.1 The goods supplied shall conform to the standards mentioned in the bidding documents and specifications.

5. Use of contract documents and information inspection.

- 5.1 The supplier shall not, without the purchaser's prior written consent, disclose the contract, or any provision thereof, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the purchaser in connection therewith, to any person other than a person employed by the supplier in the performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The supplier shall not, without the purchaser's prior written consent, make use of any document or information mentioned in GCC clause 5.1 except for purposes of performing the contract.
- 5.3 Any document, other than the contract itself mentioned in GCC clause 5.1 shall remain the property of the purchaser and shall be returned (all copies) to the purchaser on completion of the supplier's performance under the contract if so required by the purchaser.
- 5.4 The supplier shall permit the purchaser to inspect the supplier's records relating to the performance of the supplier and to have them audited by auditors appointed by the purchaser, if so required by the purchaser.

6. Patent rights

6.1 The supplier shall indemnify the purchaser against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the goods or any part thereof by the purchaser.

7. Performance security

- 7.1 Within thirty (30) days of receipt of the notification of contract award, the successful bidder shall furnish to the purchaser the performance security of the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the purchaser as compensation for any loss resulting from the supplier's failure to complete his obligations under the contract.
- 7.3 The performance security shall be denominated in the currency of the contract, or in a freely convertible currency acceptable to the purchaser and shall be in one of the following forms:
 - (a) a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in the purchaser's country or abroad, acceptable to the purchaser, in the form provided in the bidding documents or another form acceptable to the purchaser; or
 - (b) a cashier's or certified cheque
- 7.4 The performance security will be discharged by the purchaser and returned to the supplier not later than thirty (30) days following the date of completion of the supplier's performance obligations under the contract, including any warranty obligations, unless otherwise specified in SCC.

8. Inspections, tests and analyses

8.1 All pre-bidding testing will be for the account of the bidder.

- 8.2 If it is a bid condition that supplies to be produced or services to be rendered should at any stage during production or execution or on completion be subject to inspection, the premises of the bidder or contractor shall be open, at all reasonable hours, for inspection by a representative of the Department or an organization acting on behalf of the Department.
- 8.3 If there are no inspection requirements indicated in the bidding documents and no mention is made in the contract, but during the contract period it is decided that inspections shall be carried out, the purchaser shall itself make the necessary arrangements, including payment arrangements with the testing authority concerned.
- 8.4 If the inspections, tests and analyses referred to in clauses 8.2 and 8.3 show the supplies to be in accordance with the contract requirements, the cost of the inspections, tests and analyses shall be defrayed by the purchaser.
- 8.5 Where the supplies or services referred to in clauses 8.2 and 8.3 do not comply with the contract requirements, irrespective of whether such supplies or services are accepted or not, the cost in connection with these inspections, tests or analyses shall be defrayed by the supplier.
- 8.6 Supplies and services which are referred to in clauses 8.2 and 8.3 and which do not comply with the contract requirements may be rejected.
- 8.7 Any contract supplies may on or after delivery be inspected, tested or analyzed and may be rejected if found not to comply with the requirements of the contract. Such rejected supplies shall be held at the cost and risk of the supplier who shall, when called upon, remove them immediately at his own cost and forthwith substitute them with supplies which do comply with the requirements of the contract. Failing such removal the rejected supplies shall be returned at the suppliers cost and risk. Should the supplier fail to provide the substitute supplies forthwith, the purchaser may, without giving the supplier further opportunity to substitute the rejected supplies, purchase such supplies as may be necessary at the expense of the supplier.
- 8.8 The provisions of clauses 8.4 to 8.7 shall not prejudice the right of the purchaser to cancel the contract on account of a breach of the conditions thereof, or to act in terms of Clause 23 of GCC.

9. Packing

- 9.1 The supplier shall provide such packing of the goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing, case size and weights shall take into consideration, where appropriate, the remoteness of the goods' final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the contract, including additional requirements, if any, specified in SCC, and in any subsequent instructions ordered by the purchaser.

10. Delivery and documents

- 10.1 Delivery of the goods shall be made by the supplier in accordance with the terms specified in the contract. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.
- Documents to be submitted by the supplier are specified in SCC.

11. Insurance

11.1 The goods supplied under the contract shall be fully insured in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in the SCC.

12. Transportation

12.1 Should a price other than an all-inclusive delivered price be required, this shall be specified in the SCC.

13. Incidental services, services

- 13.1 The supplier may be required to provide any or all of the following services, including additional services, if any, specified in SCC:
 - (a) performance or supervision of on-site assembly and/or commissioning of the supplied goods;
 - (b) furnishing of tools required for assembly and/or maintenance of the supplied goods;
 - (c) furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied goods;
 - (d) performance or supervision or maintenance and/or repair of the supplied goods, for a period of time agreed by the parties, provided that this service shall not relieve the supplier of any warranty obligations under this contract; and
 - (e) training of the purchaser's personnel, at the supplier's plant and/or onsite, in assembly, start-up, operation, maintenance, and/or repair of the supplied goods.
- 13.2 Prices charged by the supplier for incidental services, if not included in the contract price for the goods, shall be agreed upon in advance by the parties and shall not exceed the prevailing rates charged to other parties by the supplier for similar services.

14. Spare parts

- 14.1 As specified in SCC, the supplier may be required to provide any or all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the supplier:
 - (a) such spare parts as the purchaser may elect to purchase from the supplier, provided that this election shall not relieve the supplier of any warranty obligations under the contract; and
 - (b) in the event of termination of production of the spare parts:
 - (i) Advance notification to the purchaser of the pending termination, in sufficient time to permit the purchaser to procure needed requirements; and
 - (ii) following such termination, furnishing at no cost to the purchaser, the blueprints, drawings, and specifications of the spare parts, if requested.

15. Warranty

- 15.1 The supplier warrants that the goods supplied under the contract are new, unused, of the most recent or current models, and that they incorporate all recent improvements in design and materials unless provided otherwise in the contract. The supplier further warrants that all goods supplied under this contract shall have no defect, arising from design, materials, or workmanship (except when the design and/or material is required by the purchaser's specifications) or from any act or omission of the supplier, that may develop under normal use of the supplied goods in the conditions prevailing in the country of final destination.
- 15.2 This warranty shall remain valid for twelve (12) months after the goods, or any portion thereof as the case may be, have been delivered to and accepted at the

final destination indicated in the contract, or for eighteen (18) months after the date of shipment from the port or place of loading in the source country, whichever period concludes earlier, unless specified otherwise in SCC.

- 15.3 The purchaser shall promptly notify the supplier in writing of any claims arising under this warranty.
- Upon receipt of such notice, the supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, without costs to the purchaser.
- 15.5 If the supplier, having been notified, fails to remedy the defect(s) within the period specified in SCC, the purchaser may proceed to take such remedial action as may be necessary, at the supplier's risk and expense and without prejudice to any other rights which the purchaser may have against the supplier under the contract.

16. Payment

- 16.1 The method and conditions of payment to be made to the supplier under this contract shall be specified in SCC.
- 16.2 The supplier shall furnish the purchaser with an invoice accompanied by a copy of the delivery note and upon fulfillment of other obligations stipulated in the contract.
- Payments shall be made promptly by the purchaser, but in no case later than thirty (30) days after submission of an invoice or claim by the supplier.
- 16.4 Payment will be made in Rand unless otherwise stipulated in SCC.

17. Prices

17.1 Prices charged by the supplier for goods delivered and services performed under the contract shall not vary from the prices quoted by the supplier in his bid, with the exception of any price adjustments authorized in SCC or in the purchaser's request for bid validity extension, as the case may be.

18. Contract

18.1 No variation in or modification of the terms of the contract shall be made **amendments** except by written amendment signed by the parties concerned.

19. Assignment

19.1 The supplier shall not assign, in whole or in part, its obligations to perform under the contract, except with the purchaser's prior written consent.

20. Subcontracts

20.1 The supplier shall notify the purchaser in writing of all subcontracts awarded under this contracts if not already specified in the bid. Such notification, in the original bid or later, shall not relieve the supplier from any liability or obligation under the contract.

21. Delays in the supplier's performance

- Delivery of the goods and performance of services shall be made by the supplier in accordance with the time schedule prescribed by the purchaser in the contract.
- 21.2 If at any time during performance of the contract, the supplier or its subcontractor(s) should encounter conditions impeding timely delivery of the goods and performance of services, the supplier shall promptly notify the purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the supplier's notice, the purchaser shall evaluate the situation and may at his discretion extend the supplier's time for performance, with or without the imposition of penalties, in which case the extension shall be ratified by the parties by amendment of contract.

- 21.3 No provision in a contract shall be deemed to prohibit the obtaining of supplies or services from a national department, provincial department, or a local authority.
- 21.4 The right is reserved to procure outside of the contract small quantities or to have minor essential services executed if an emergency arises, the supplier's point of supply is not situated at or near the place where the supplies are required, or the supplier's services are not readily available.
- 21.5 Except as provided under GCC Clause 25, a delay by the supplier in the performance of its delivery obligations shall render the supplier liable to the imposition of penalties, pursuant to GCC Clause 22, unless an extension of time is agreed upon pursuant to GCC Clause 21.2 without the application of penalties.
- 21.6 Upon any delay beyond the delivery period in the case of a supplies contract, the purchaser shall, without canceling the contract, be entitled to purchase supplies of a similar quality and up to the same quantity in substitution of the goods not supplied in conformity with the contract and to return any goods delivered later at the supplier's expense and risk, or to cancel the contract and buy such goods as may be required to complete the contract and without prejudice to his other rights, be entitled to claim damages from the supplier.

22. Penalties

22.1 Subject to GCC Clause 25, if the supplier fails to deliver any or all of the goods or to perform the services within the period(s) specified in the contract, the purchaser shall, without prejudice to its other remedies under the contract, deduct from the contract price, as a penalty, a sum calculated on the delivered price of the delayed goods or unperformed services using the current prime interest rate calculated for each day of the delay until actual delivery or performance. The purchaser may also consider termination of the contract pursuant to GCC Clause 23.

23. Termination for default

- 23.1 The purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, may terminate this contract in whole or in part:
 - (a) if the supplier fails to deliver any or all of the goods within the period(s) specified in the contract, or within any extension thereof granted by the purchaser pursuant to GCC Clause 21.2;
 - (b) if the Supplier fails to perform any other obligation(s) under the contract; or
 - (c) if the supplier, in the judgment of the purchaser, has engaged in corrupt or fraudulent practices in competing for or in executing the contract.
- 23.2 In the event the purchaser terminates the contract in whole or in part, the purchaser may procure, upon such terms and in such manner as it deems appropriate, goods, works or services similar to those undelivered, and the supplier shall be liable to the purchaser for any excess costs for such similar goods, works or services. However, the supplier shall continue performance of the contract to the extent not terminated.
- 23.3 Where the purchaser terminates the contract in whole or in part, the purchaser may decide to impose a restriction penalty on the supplier by prohibiting such supplier from doing business with the public sector for a period not exceeding 10 years.
- 23.4 If a purchaser intends imposing a restriction on a supplier or any person associated with the supplier, the supplier will be allowed a time period of not more than fourteen (14) days to provide reasons why the envisaged restriction should not be imposed. Should the supplier fail to respond within the stipulated

fourteen (14) days the purchaser may regard the intended penalty as not objected against and may impose it on the supplier.

- 23.5 Any restriction imposed on any person by the Accounting Officer / Authority will, at the discretion of the Accounting Officer / Authority, also be applicable to any other enterprise or any partner, manager, director or other person who wholly or partly exercises or exercised or may exercise control over the enterprise of the first-mentioned person, and with which enterprise or person the first-mentioned person, is or was in the opinion of the Accounting Officer / Authority actively associated.
- 23.6 If a restriction is imposed, the purchaser must, within five (5) working days of such imposition, furnish the National Treasury, with the following information:
 - (i) the name and address of the supplier and / or person restricted by the purchaser;
 - (ii) the date of commencement of the restriction
 - (iii) the period of restriction; and
 - (iv) the reasons for the restriction.

These details will be loaded in the National Treasury's central database of suppliers or persons prohibited from doing business with the public sector.

- 23.7 If a court of law convicts a person of an offence as contemplated in sections 12 or 13 of the Prevention and Combating of Corrupt Activities Act, No. 12 of 2004, the court may also rule that such person's name be endorsed on the Register for Tender Defaulters. When a person's name has been endorsed on the Register, the person will be prohibited from doing business with the public sector for a period not less than five years and not more than 10 years. The National Treasury is empowered to determine the period of restriction and each case will be dealt with on its own merits. According to section 32 of the Act the Register must be open to the public. The Register can be perused on the National Treasury website.
- 24. Anti-dumping and countervailing duties and rights
- 24.1 When, after the date of bid, provisional payments are required, or antidumping or countervailing duties are imposed, or the amount of a provisional payment or anti-dumping or countervailing right is increased in respect of any dumped or subsidized import, the State is not liable for any amount so required or imposed, or for the amount of any such increase. When, after the said date, such a provisional payment is no longer required or any such anti-dumping or countervailing right is abolished, or where the amount of such provisional payment or any such right is reduced, any such favourable difference shall on demand be paid forthwith by the contractor to the State or the State may deduct such amounts from moneys (if any) which may otherwise be due to the contractor in regard to supplies or services which he delivered or rendered, or is to deliver or render in terms of the contract or any other contract or any other amount which may be due to him

25. Force Majeure

- 25.1 Notwithstanding the provisions of GCC Clauses 22 and 23, the supplier shall not be liable for forfeiture of its performance security, damages, or termination for default if and to the extent that his delay in performance or other failure to perform his obligations under the contract is the result of an event of force majeure.
- 25.2 If a force majeure situation arises, the supplier shall promptly notify the purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the purchaser in writing, the supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all

reasonable alternative means for performance not prevented by the force majeure event.

26. Termination for insolvency

26.1

The purchaser may at any time terminate the contract by giving written notice to the supplier if the supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the purchaser.

27. Settlement of Disputes

- 27.1 If any dispute or difference of any kind whatsoever arises between the purchaser and the supplier in connection with or arising out of the contract, the parties shall make every effort to resolve amicably such dispute or difference by mutual consultation.
- 27.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the purchaser or the supplier may give notice to the other party of his intention to commence with mediation. No mediation in respect of this matter may be commenced unless such notice is given to the other party.
- 27.3 Should it not be possible to settle a dispute by means of mediation, it may be settled in a South African court of law.
- 27.4 Mediation proceedings shall be conducted in accordance with the rules of procedure specified in the SCC.
- 27.5 Notwithstanding any reference to mediation and/or court proceedings herein,
 - (a) the parties shall continue to perform their respective obligations under the contract unless they otherwise agree; and
 - (b) the purchaser shall pay the supplier any monies due the supplier.

28. Limitation of liability

28.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement pursuant to Clause 6;

the supplier shall not be liable to the purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the supplier to pay penalties and/or damages to the purchaser; and

the aggregate liability of the supplier to the purchaser, whether under the contract, in tort or otherwise, shall not exceed the total contract price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

29. Governing language

29.1 The contract shall be written in English. All correspondence and other documents pertaining to the contract that is exchanged by the parties shall also be written in English.

30. Applicable law

30.1 The contract shall be interpreted in accordance with South African laws, unless otherwise specified in SCC.

31. Notices

31.1 Every written acceptance of a bid shall be posted to the supplier concerned by registered or certified mail and any other notice to him shall be posted by ordinary mail to the address furnished in his bid or to the address notified later by him in writing and such posting shall be deemed to be proper service of such notice

31.2 The time mentioned in the contract documents for performing any act after such aforesaid notice has been given, shall be reckoned from the date of posting of such notice.

32. Taxes and duties

- 32.1 A foreign supplier shall be entirely responsible for all taxes, stamp duties, license fees, and other such levies imposed outside the purchaser's country.
- 32.2 A local supplier shall be entirely responsible for all taxes, duties, license fees, etc., incurred until delivery of the contracted goods to the purchaser.
- 32.3 No contract shall be concluded with any bidder whose tax matters are not in order. Prior to the award of a bid the Department must be in possession of a tax clearance certificate, submitted by the bidder. This certificate must be an original issued by the South African Revenue Services.

33. National Industrial Participation (NIP) Programme

33.1 The NIP Programme administered by the Department of Trade and Industry shall be applicable to all contracts that are subject to the NIP obligation

34. Prohibition of Restrictive practices

- 34.1 In terms of section 4 (1) (b) (iii) of the Competition Act No. 89 of 1998, as amended, an agreement between, or concerted practice by, firms, or a decision by an association of firms, is prohibited if it is between parties in a horizontal relationship and if a bidder (s) is / are or a contractor(s) was / were involved in collusive bidding (or bid rigging).
- 34.2 If a bidder(s) or contractor(s), based on reasonable grounds or evidence obtained by the purchaser, has / have engaged in the restrictive practice referred to above, the purchaser may refer the matter to the Competition Commission for investigation and possible imposition of administrative penalties as contemplated in the Competition Act No. 89 of 1998.
- 34.3 If a bidder(s) or contractor(s), has / have been found guilty by the Competition Commission of the restrictive practice referred to above, the purchaser may, in addition and without prejudice to any other remedy provided for, invalidate the bid(s) for such item(s) offered, and / or terminate the contract in whole or part, and / or restrict the bidder(s) or contractor(s) from conducting business with the public sector for a period not exceeding ten (10) years and / or claim damages from the bidder(s) or contractor(s) concerned.

Js General Conditions of Contract (revised July 2010)